WATSONIA

**THE JOURNAL OF
THE BOTANICAL SOCIETY
OF THE BRITISH ISLES**

VOLUME 24

EDITED BY

M. BRIGGS, R. G. ELLIS
D. L. KELLY, D. R. MCKEAN, D. A. PEARMAN
C. D. PRESTON, M. N. SANFORD, D. A. SIMPSON

2002–2003

PRINTED FOR THE SOCIETY BY
PALLADIAN PRESS, UNIT E, CHANDLERS ROW, PORT LANE, COLCHESTER, ESSEX CO1 2HG

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,
C/O DEPARTMENT OF BOTANY, THE NATURAL HISTORY MUSEUM, LONDON SW7 5BD

DATES OF PUBLICATION

Part 1, pp. 1-132,19 February 2002
Part 2, pp. 133-270,19 August 2002
Part 3, pp. 271-468, 17 February 2003
Part 4, pp. 469-594, 20 August 2003

Errata

p. 111 (table) line 3	For: *palustris* read: *palustre*
p. 111 (table) line 8	For: *aquatilis* read: *aquaticus*
p. 111 line 24 up	For: *Centaurea* read: *Centaurium*
p. 136 (table) line 5	For: *E.* read: *Epilobium*
p. 137 (table) line 15	For: *S.* read: *Salix*
p. 138 (map) line 2 up	For: *Alchemilla* read: *Achillea*
p. 150 line 5 up	For: *wilmottii* read: *wilmotii*
p. 239 line 6 up	For: *sylvatica* read: *silvatica*
p. 296 line 12 up	For: *Onopordium* read: *Onopordum*
p. 338 (text) line 2 up	For: *vulgare* read: *vulgaris*
p. 344 (text) line 5	For: *palustris* read: *palustre*
p. 458 line 15	For: *gigantea* read: *giganteum*
p. 529 line 15	For: *pratensis* read: *pratense*
p. 537 line 12 up	For: pubens read: *pubens*
p. 539 line 3 up	For: *wilmotii* read: *willmotii*
p. 543 line 14	For: *Quercus rosacea* read: *Quercus* × *rosacea*
p. 543 line 14 up	For: *desicatum* read: *desiccatum*
p. 555 line 25	For: *truncatuca* read: *truncatula*
p. 563 line 7 up	For: *R.* × *robertsii* read: *M.* × *robertsii*
p. 564 line 5 up	For: *scottica* read: *confusa*
p. 569 line 13 up	For: *arbrotanum* read: *abrotanum*
p. 572 line 1	For: *germanica* read: *germanicum*

INDEX
WATSONIA VOLUME 24 (2002–03)

Prepared by C. R. Boon

Abbott, R.J., James, J.K., Forbes, D.G. & Comes, H.P. - Hybrid origin of the Oxford Ragwort, *Senecio squalidus* L.: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. & Kit. 17-29

Abbott, R.J., with A.J. Lowe - A new British species, *Senecio eboracensis* (Asteraceae), another hybrid derivative of *S. vulgaris* L. and *S. squalidus* L. 375-388

Abutilon vitifolium (v.c. **113(S)**) 546

Acaena 457; *anserinifolia* 235, (v.c. **99**) 551; *novae-zelandiae* (v.c. **10**, **46**) 235; *ovalifolia* (v.c. **13**) 235

Acanthus mollis (v.c. **113(A)**) 565

Acer campestre 91, 356; *pseudoplatanus* 91, 157; *saccharinum* (v.c. **29**) 558

Aceras anthropophorum (v.c. **12**) 250

Achillea millefolium 84, 137, (map) 138, 157, 478, 530; *ptarmica* 324, 586

Aconitum × *cammarum* (v.c. **43**) 228; *napellus* × *variegatum* (v.c. **43**) 228

Aconogonon 109, 110; × *fennicum* 110

Acorus calamus (v.c. **52**) 245, 344

Adonia annua 86

Adoxa moschatellina (v.c. **29**) 566

Aesculus indica (v.c. **29**) 558

Aethusa cynapium (v.c. **113(A)**) 560

Agapanthus praecox subsp. *orientalis* (v.c. **113 (S)**)578

Agaricus 456

Agave americana (v.c. **113(A)**) 579

Agrimonia eupatoria 157, 477, 479

× *Agropogon littoralis* (v.c. **64**) 574

Agrostemma githago 312, 367, 404, (v.c. **35**) 544, 584

Agrostis capillaris 111, 157, 420, 477, 479, 516; *castellana* (v.c. **61**) 247, (v.c. 46) 574; *exarata* 168; *gigantea* × *stolonifera* (v.c. **61**) 574; *scabra* 114, (v.c. **58**) 247, (v.c. **83**) 574; *stolonifera* 48, 60, 111, 135, 157, 160, 163, 165, 417, 420, 479; *stolonifera* × *Polypogon monspeliensis* (v.c. **64**) 574

Ailanthus altissima (v.c. **99**) 558

Ajuga chamaepitys 367, 373; *reptans* 458

Akeroyd, J.R. - Rev. of *Domestication of plants in the Old World* (by D. Zohary & M. Hopf) 113

Alcea rosea (v.c. 99) 546

Alchemilla alpina 136, 137, (map) 138; *glabra* 516; *glaucescens* (v.c. **81**) 235; *glomerulans* 136, (map) 138; *micans* (v.c. **67**) 551; *mollis* (v.c. **S**, **81**) 235, (v.c. **42**) 551

Alisma lanceolatum (v.c. **51**, **68**) 244, (v.c. **47**) 570; *plantago-aquatica* 60

Allen, D.E. - A third list of British species of *Rubus* L. (Rosaceae) in north-west France 220-222

Allen, D.E. - Four centuries of local Flora-writing: some milestones 271-280

Allen, D.E. - Nomenclatural complexities in publications of Sudre and Bouvet on *Rubus* L. (Rosaceae) 222-224

Allen, D.E. - Obit. of Anne Beatrice Mary Brewis (1911-2002) 464-465

Allium 123, 124, 575; *ampeloprasum* (v.c. **6**, **58**) 577; *carinatum* (v.c. **81**) 249; *cepa* (v.c. **99**, **113(S)**) 578, var. *viviparum* 578; *moly* (v.c. **58**, **66**) 577; *oleraceum* 373; *paradoxum* (v. c. **41**) 249; *roseum* (v.c. **45**) 249, subsp. *bulbiferum* (v.c. **113(A)**) 577; *schoenoprasum* 137, (v.c. **58**) 577; *scorodoprasum* (v.c. **46**) 578; *sphaerocephalon* (v.c. **113(A)**) 578; *subhirsutum* (v.c. **46**) 249, (v.c. **113(A)**) 577; *triquetrum* (v.c. **46**) 249, (v.c. **29**) 577

Alnus cordata (v.c. **50**) 543; *incana* (v.c. **51**, **81**, **107**) 229; *rubra* (v.c. **44**) 543

Alopecurus alpinus 133; *borealis* 136, 137, 141, 143; *geniculatus* × *aequalis* (v.c. **5**) 575; × *haussknechtianus* (v.c. **5**) 575; *myosuroides* (v.c. **43**, **47**) 247, (v.c. **2**) 575; *pratensis* 477, 478

Alstroemeria aurea (v.c. **41**) 249

Althaea officinalis (v.c. **2**) 546

Alyssum alyssoides and *Berteroa incana* (Brassicaceae) in the British Isles and the relationship to their modes of introduction. Geographical and temporal distributions of, 499-506, (map) 501; *calycinum* 499; *incanum* 499; *montanum* 500

Amanita virosa 456

Amaranthus albus (v.c. **8**) 229; *hypochondriacus* (v.c. **44**) 544; *retroflexus* (v.c. **44**) 544

Amaryllis belladonna (v.c. **113(A)**, **113(S)**) 578

Amsinckia micrantha (v.c. **67**, **91**) 561

Anacamptis pyramidalis (v.c. **43**) 250, 472

Anagallis 10; *minima* (v.c. **42**) 233, 311, 312, 315, 364, 368, 373, 374; *tenella* 111, 295, 297, (v.c. **93**) 549

Anarrhinum bellidifolium 402

Anemone 123, 256; *apennina* (v.c. **13**) 228; *nemorosa* 255; *pulsatilla* 293, 298; *ranunculoides* (v.c. **96**) 228

Angelica archangelica (v.c. **99**) 560

Anisantha diandra (v.c. **61**) 248, (v.c. **2**, **39**, **46**) 575; *rigida* (v.c. **61**) 575; *sterilis* 78

Annual General Meeting (2001) (Rpt) 131-132, (2002) (Rpt) 467-468

Antennaria 135; *canescens* 142; *dioica* 310, 311, 347, 348

Anthemis cotula 312, (v.c. **44**) 569, 584

Anthoxanthum odoratum 135, 157, 416, 476, 478, 516, 586

Anthriscus caucalis (v.c. **66**) 560; *cerefolium* 296

Anthyllis vulneraria 284, 420, 530, var. *coccinea* 284

Apera interrupta (v.c. **21**) 247; *spica-venti* (v.c. **10**) 247

Aphanes arvensis 83-85; *australis* 364, 368, 373, 374

Apium inundatum 246; *nodiflorum* 60, 297

Aptenia cordifolia (v.c. **113(A)**) 543

Aquilegia vulgaris 292

Arabis alpina 136, (map) 138; *glabra* 373, 374; *petraea* 137

Aralia elata (v.c. **44**, **113(A)**) 559

Arbutus unedo (v.c. **44**) 547

Arctic (map) 134

Arctium lappa (v.c. **43**) 243

Arctostaphylos alpinus 136, 137, (map) 138

Arenaria ciliata 136, (map) 138; *norvegica* 137; *serpyllifolia* 83-85, 87, 530, subsp. *leptoclados* (v.c. **64**) 544

Arisarum probiscideum (v.c. **99**) 571

Armeria maritima 84, 137, (map) 138, 139; *scabra* 139

Armoracia rusticana (v.c. **79**) 547

Arnoseris minima 311, 312, 373

Arrhenatherum elatius 157, 416, 420, 477, 479, 479, 530, subsp. *bulbosus* (v.c. **43**) 247

Artemisia 135; *abrotanum* (v.c. **52**, **99**) 569; *absinthium* (v.c. **81**, **107**) 244; *dracunculus* (v.c. **29**) 569; *ludoviciana* (v.c. **29**) 569; *norvegica* 137; *verlotiorum* (v.c. **96**) 244; *vulgaris* 401

Arum 171; *italicum* in England. A comparison of the pollination ecology of *Arum maculatum* and, 171-181, subsp. *italicum* 171, 172, 175, 176, 178, 179, (v.c. **41**, **50**) 245, (v.c. **52**, **77**) 571, subsp. *neglectum* 171, 172, 175-179; *maculatum* and *A. italicum* in England. A comparison of the pollination ecology of, 171-181

Asarina procumbens (v.c. **46**) 564

Ashton, P.A. - A new Flora of v.c. 59 (South Lancashire): a progress report 351-357

Asparagus 456; spp. (key) 185; *maritimus* 184, 187; *officinalis* 184, 186-189, subsp. *officinalis* (v.c. **113(S)**) 578, subsp. *prostratus* 183, 461; *prostratus* Dumort., Wild Asparagus, in Britain. Distribution and population sizes of, 183-192, (map) 189

Asperula cynanchica 298; *orientalis* (v.c. **29**, **44**) 565

Asplenium 113; *adiantum-nigrum* 297, 461; × *alternifolium* 458; × *clermontiae* (v.c. **68**) 540; *marinum* 298; *onoperis* (v.c. **H6**) 540; *trichomanes* subsp. *pachyrachis* (v.c. **64**) 540; *trichomanes* × *ruta-muraria* (v.c. **68**) 540; *viride* (v.c. **47**) 227, 296

× *Asplenophyllitis confluens* (v.c. **39**) 540

Aster concinnus (v.c. **46**) 244; *laevis* × *novi-belgii* (v.c. **110**) 569; *novi-belgii* (v.c. **107**) 244, (v.c. **110**) 566; *novi-belgii* × *lanceolatus* (v.c. **43**) 244, (v.c. **44**, **110**, **H6**) 569; × *salignus* (v.c. **43**) 244, (v.c. **44**, **110**, **H6**) 569; *tripolium* 60; × *versicolor* (v.c. **110**) 569

Astragalus 135; *alpinus* 137; *danicus* 293, 298, 312; *hypoglottis* 293

Astrantia major (v.c. **51**) 239

Athyrium distentifolium 136, (map) 138; *filix-femina* 157

Atriplex 560; *glabriuscula* (v.c. **35**) 543; *glabriuscula* × *longipes* (v.c. **68**) 229; × *gustafssoniana* (v.c. **5**) 543; *laciniata* (v.c. **91**) 544; *littoralis* (v.c. **81**) 229; *longipes* 255, (v.c. **35**, **H6**) 543; *longipes* × *prostrata* (v.c. **5**) 543; *portulacoides* (v.c. **48**) 543; *praecox* 255; × *taschereaui* (v.c. **68**) 229

Aucuba japonica (v.c. **113(S)**) 557

Avena fatua (v.c. **43**) 247; *sterilis* subsp. *ludoviciana* (v.c. **46**) 247

Azolla filiculoides 368, (v.c. **99**) 541

Bailey, J.P. & Spencer, M. - New records for *Fallopia* × *connollyana* : is it truly such a rarity? 452-453

Baldellia ranunculoides 295, 297, 344

Ballantyne, G.H. - A new bramble of Northumbria and the Scottish borders 107-109

Ballantyne, G.H. - *Wild flowers of Fife and Kinross* (Bk Rev.) 458

Ballota nigra 584

Bangerter, Edward Benedict (1911-2001) (Obit.) 128-129

Barbarea intemedia (v.c. **52**) 547

Barbula convoluta 163

Bartsia alpina 136, (map) 138

Bellis perennis 84, 163, 355, 478, 530

Berberis 256; *darwinii* (v.c. **29**, **113(A)**) 542; *darwinii* × *empetrifolia* (v.c. **46**) 228, (v.c. **99**) 542; *gagnepainii* (v.c. **29**) 542; × *stenophylla* (v.c. **46**) 228, (v.c. **99**) 542; *thunbergii* (v.c. **41**) 542; *vulgaris* (v.c. **52**) 228, (v.c. **51**, **113(A)**) 542; *wilsoniae* (v.c. **50**) 542

Bergenia crassifolia (v.c. **46**) 233, (v.c. **44**, **113 (A)**) 549

Berteroa incana (Brassicaceae) in the British Isles and the relationship to their modes of introduction. Geographical and temporal distributions of *Alyssum alyssoides* and, 499-506, (map) 502; *mutabilis* 500

Berula erecta (v.c. **78**) 239

Beta vulgaris 88, subsp. *maritima* 84

Betula 232; × *aurita* (v.c. **43**, **77**) 229; *nana* 136, 137, (map) 138, (v.c. **93**) 543; *pendula* × *pubescens* (v.c. **43**, **77**) 229; *pubescens* 48

Bidens 457; *cernua* (v.c. **1**) 570

Birks, H.H., with H.J.B. Birks - Obit. of Knut Fægri (1909-2001) 462-464

Birks, H.J.B. & Birks, H.H. - Obit. of Knut Fægri (1909-2001) 462-464

Bistorta 110

Bolboschoenus 556; *maritimus* 57, 60, 543

Bonner, I.R., with T.D.Dines - A new hybrid horsetail, *Equisetum arvense* × *E. telmateia* (*E.* × *robertsii*) in Britain 145-157

Book reviews 113-121, 251-256, 455-459, 581-586

Botrychium lunaria (map) 138, 297, 298, 373

Bowen, Humphry John Moule (1929-2001) (Obit.) 268-270

Bowra, J.P. Publications of, 591

Bowra, John Charles (1918-2002) (Obit.) 589-591

Brachypodium pinnatum 83-86, 296, 298, (v.c. **58**) 576, subsp. *rupestre* (v.c. **44**) 576; *sylvaticum* 157

Brachythecium rutabulum 355, (map) 355, 478

Braithwaite, M.E. - Rev. of *Plant life of Edinburgh and the Lothians* (ed by P.M. Smith, R.O.D. Dixon & P.M. Cochraine) 585-586

Braithwaite, M.E. - Rev. of *The changing flora of Glasgow* (by J.H. Dickson, P. Macpherson & K. Watson) 113-114

Brassica 560

Breutelia chrysocoma 48, 50

Brewis, Anne Beatrice Mary (1911-2002) (Obit.) 464-465

Brian, A. & Thomson, P. - *The history and natural history of Lugg Meadow* (Bk Rev.) 581

Briggs, D. & Gorringe, E. - The struggle to produce a Flora of the British Isles (1933-1952) 1-15

Briggs, M. - Obit. of Lily Breda Burt (1918-2001) 266-267

Briggs, M. (ed.) - *The Sussex rare plant register* (Bk Rev) 118-119

Briza maxima (v.c. **45**, **95**, **113(A)**) 573; *media* 84, 420, 477, 478, 529, 530; *minor* (v.c. **10**) 247, 258, (v.c. **113(A)**) 573

Bromopsis spp. (key) 537; *benekenii* (Lange) Holub in Britain. Observations on, 535-538, (v.c. **64**, **67**, **77**) 575; *erecta* 296, 416, 478, 530, (v.c. **49**, **58**, **113(A)**) 575; *inermis* (v.c. **39**, **52**) 575, subsp. *inermis* (v.c. **46**) 248, (v.c. **83**) 575; *ramosa* 535-537, 575

Bromus 193, 198, 201, 537; spp. (key) 199, (key) 200; *commutatus* 74-76, 78, Schrad. and *B. secalinus* L. (Poaceae). An analysis of the characters of *B. racemosus* L., 193-202, (illus.) 195, 482, subsp. *commutatus* 196, subsp. *secalinus* 200, subsp. *racemosus* 200, var. *commutatus* 194, var. *pubens* 194, 196, 201, 537; *commutatus* × *racemosus* 198; *hordeaceus* 69, 70, 72, 74, 76, 78, 87, 198, subsp. *ferronii* 83, 84, 537, (v.c. **68**) 575, subsp. *hordeaceus* 157, 194, (illus.) 195, subsp. *longipedicellatus* 194, (v.c. **29**, **35**, **51**, **77**, **113(S)**) 575; *interruptus* (Hack.) Druce (Poaceae) - an extinct English endemic 69-80, (illus.) 71, (illus.)73, (map) 77, 373, 374; *lanceolatus* (v.c. **29**) 575; *lepidus* (v.c. **46**) 247; *mollis* 75, 76, var. *interrupta* 69; *pseudo-velutinus* 69; *racemosus* L., *B. commutatus* Schrad. and *B. secalinus* L. (Poaceae). An analysis of the characters of, 193-202, (illus.) 195, (v.c. **42**, **51**) 247, subsp. *commutatus* 200; *secalinus* 74, L. (Poaceae). An analysis of the characters of *B. racemosus* L., *B. commutatus* Schrad. and, 193-202, (illus.) 195, (v.c. **61**) 248, (v.c. **46**) 575, subsp. *decipiens* 200, var. *decipiens* 198, var. *hirtus* 194, 198, 201, 537, var. *secalinus* 199; *sterilis* 75

Brookes, Brian (1936-2000) (Obit.) 125-126

Brunnera macrophylla (v.c. **29**) 562

Bryant, J.A., Stewart, N.F. & Stace, C.A. - A checklist of Characeae of the British Isles 203-208

Bryum algovicum 163; *argenteum* 163; cf. *bicolor* 163; *canariense* 88; *torquescens* 88

Buddleja davidii (v.c. **93**) 563, 586; *davidii* × *globosa* (v.c. **113(A)**) 563; *globosa* (v.c. **49**) 240, (v.c. **113(A)**) 563; × *weyeriana* (v. c. **113(A)**) 563

Bull, A.L. - Range extensions for *Rubus rhombifolius* Weihe ex Boenn. and *R. babingtonianus* W.C.R. Watson in East Anglia 224-225

Bupleurum fruticosum (v.c. **29**) 560; *tenuissimum* 373

Burges, Norman Alan, CBE (1911-2002) (Obit.) 591-593

Burns, A. - Annual General Meeting (2001) (Rpt) 131-132, (2002) (Rpt) 467-468

Burns, A. - Obit. of Brian Brookes (1936-2000) 125-126

Burt, Lily Breda (1918-2001) (Obit.) 266-267

Butomus umbellatus 457

Calamagrostis argentea (v.c. **64**) 574; *canescens* (v.c. **67**, **68**) 574; *stricta* 136

Calendula officinalis (v.c. **47**) 244, (v.c. **50**) 570

Calliergon cuspidatum 516

Callitriche 60, by means of isozymes. Identification of British species of, 389-399, 570; *brutia* (v.c. **51**) 240, 389-391, (illus.) 391, 393, (illus.) 395, 397, 398, (v.c. **113(S)**) 563; *cophocarpa* 389, 397; *hamulata* 240, 373, 374, 389-391, (illus.) 391, 393, (illus.) 395, 397, 398; *hermaphroditica* 390, 391, (illus.) 391, 392, (illus.) 395, 397; *lenisulca* 389; *obtusangula* 389-391, (illus.) 391, 392, 393, (illus.) 395, 397, 398, (map) 396; *palustris* 389-391, 392, (illus.) 395, 398; *platycarpa* 389-391, (illus.) 391, 393, (illus.) 395, (map) 396, 397, 398; *platycarpa* × *cophocarpa* 397; *stagnalis* 163, 389-391, (illus.) 391, 392, 393, (illus.) 395, (map) 396, 397, 398; *truncata* 390, 391, (illus.) 391, 392, (illus.) 395

Calluna 227, 258, 572, 579; *vulgaris* 48, 297, 516

Caltha palustris subsp. *radicans* 256

Calystegia × *howittiorum* (v.c. **21**) 239; × *lucana* (v.c. **39**) 561; *pulchra* (v.c. **45**) 561; *pulchra* × *silvatica* (v.c. **21**) 239; × *scanica* (v.c. **46**) 239; *sepium* × *pulchra* (v.c. **46**) 239; *sepium* × *silvatica* (v.c. **39**) 561; *silvatica* (v.c. **91**) 561, subsp. *disjuncta* (v. c. **44**) 239

Campanula 123; *gieseckiana* 139; *lactiflora* (v. c. **107**) 242; *patula* 295; *persicifolia* (v.c. **46**) 242; *portenschlagiana* (v.c. **113(A)**) 565; *poscharskyana* (v.c. **12**, **81**) 242, (v.c. **113(A)**) 565; *rotundifolia* 139, 458, 530; *trachelium* (v.c. **46**) 242

Campylopus atrovirens 48; *introflexus* 48-50

Cannabis 123; *sativa* (v.c. **45**) 229, (v.c. **113(S)**) 542

Cannon, J.F.M. - Obit. of Edward Benedict Bangerter (1911-2001) 128-129

Cannon, Margaret (1928-2002) (Obit.) 587

Capsella bursa-pastoris 163

Capsicum annuum (v.c. **29**) 561

Cardamine corymbosa (v.c. **35**, **96**) 231, (v.c. **78**, **99**) 548; *flexuosa* × *pratensis* (v.c. **46**, **95**) 548; *heptaphylla* (v.c. **64**) 548; *hirsuta* 85; *impatiens* 374; *pratensis* 163; × *zahlbruckneriana* (v.c. **46**, **95**) 548

Cardaria draba 558

Carduus acanthoides (v.c. **29**) 243; *crispus* 243; *nutans* (v.c. **81**) 243; *tenuiflorus* 373

Carex 142, 160, 461; sect. *Acutae* 218; *acutiformis* × *acuta* (v.c. **43**) 572; *aquatilis* 137, 139; *aquatilis* × *acuta* (v.c. **46**) 246; *arenaria* 157, 163, (v.c. **42**) 572; *atrata* 136, (map) 138; *atrofusca* 136, 141; *bigelowii* 136, (map) 138, (Cyperaceae). Observations on introgression between *C. nigra* and, 217-220, (v.c. **46**) 573; *binervis* 373, 374; *capillaris* 136; *caryophyllea* 157, 530; *chordorrhiza* 136; × *decolorans* 218, 219; *depauperata* Curtis ex With. (Cyperaceae), Starved Wood-sedge. A preliminary investigation of genetic variation in Western European, 507-511; *diandra* (v.c. **43**) 245, 365; *digitata* (v.c. **64**) 573; *dioica* 137, 310, 311, 373, (v.c. **51**) 245; *distans* (v.c. **35**, **67**) 572; *disticha* (v.c. **50**, **113(A)**) 572; *divulsa* subsp. *divulsa* (v.c. **64**) 572, subsp. *leersii* (v.c. **80**) 572; *echinata* 48, 50, 373; *elongata* 121; *extensa* (v.c. **50**) 573; *flacca* 84, 87, 157, 420, 477-479, 530; *flava* agg. 461; × *fulva* (v.c. **50**, **81**) 246; *hostiana* × *viridula* (v.c. **50**, **81**) 246; *humilis* 127; × *involuta* (v.c. **77**, **79**) 572; *lachenalii* 136, (map) 138; *laevigata* (v.c. **81**) 246, 373; *maritima* 136, 137, 141, 160; *microglochin* 136, (map) 138, 141; *muricata* 373, 374, 508, subsp. *lamprocarpa* (v.c. **91**) 572, subsp. *muricata* 510, (Cyperaceae) in Shropshire 528-531; *nardina* 142; *nigra* 48, 49, 51, and *C. bigelowii* (Cyperaceae). Observations on introgression between, 217-220; *nigra* × *bigelowii* 219; *norvegica*

136, (map) 138; *otrubae* 508; *otrubae* × *remota* (v.c. **46**) 572; *ovalis* 312; *pallescens* (v.c. **93**) 573; *panicea* 48-50; *paniculata* (v. c. **107**) 245; *pauciflora* (v.c. **47**) 573; *pendula* 417; × *pseudoaxillaris* (v.c. **46**) 572; *punctata* (v.c. **52**, **H6**) 572; *rariflora* 136, (map) 138; *remota* 312; *riparia* (v.c. **77**) 572; *rostrata* × *vesicaria* (v.c. **77**, **79**) 572; *rupestris* 136, (map) 138, 459; *saxatilis* 136, (map) 138; *scandinavica* 461; *scirpoidea* 144; *stans* 139; × *subgracilis* (v. c. **43**) 572; *vaginata* 136; *viridula* subsp. *brachyrrhyncha* (v.c. **47**) 246, subsp. *oedocarpa* 48, 50, subsp. *viridula* (v.c. **1**, **67**) 573, subsp. *viridula* var. *pulchella* 461; cf *viridula* 48; *vulpina* 508

Carpinus betulus (v.c. **113(A)**, **113(S)**) 543

Carpobrotus edulis (v.c. **113(A)**) 543; *glaucescens* (v.c. **S**) 229, (v.c. **113(A)**) 543

Carum verticillatum 475

Catabrosa 573; *aquatica* (v.c. **91**) 574

Catananche caerulea (v.c. **64**) 570

Catapodium marinum 83, 84, 88; *rigidum* 84, 87

Centaurea cineraria (v.c. **113(A)**) 566; *cyanus* 360, 361, 364, 367, 374, 584; *nigra* 157, 477, 479, 530; *scabiosa* 283, 420

Centaurium erythraea 111, 157, (v.c. **80**) 560

Centranthus ruber 87

Cephalanthera longifolia 295; *rubra* 116

Cephalaria gigantea (v.c. **77**) 242, (v.c. **29**) 566

Cephaloziella baumgartneri 88

Cerastium 140, 142; *alpinum* 136, 140; *arcticum* 136, 137, 140, 142, subsp. *vestitum* 140; *arvense* × *tomentosum* (v.c. **39**) 544; *beeringianum* 140; *brachypetalum* 505; *cerastoides* 136, (map) 138; *diffusum* 83, 84; *fontanum* 84, 111, 157, 163, 479, 530; *jenisejense* 140; *pumilum* 83, 87, 373, 374; *regelii* 140

Ceratocapnos claviculata 297

Ceratochloa carinata (v.c. **61**) 248, 559, (v.c. **47**) 576; *cathartica* (v.c. **46**) 248

Ceratophyllum demersum (v.c. **46**) 541; *submersum* 373, (v.c. **113(A)**) 541

Chaenomeles speciosa (v.c. **107**) 236

Chaenorhinum organifolium (v.c. **49**) 563

Chaerophyllum temulum 157

Chamaemelum nobile 315, 374, 401

Chamerion angustifolium (map) 138, 157, 296

Chara 60, 203, 204; *aculeolata* 204, 208; *alopecuroides* 206; *aspera* 204, var. *aspera* 204, var. *capillata* 204, var. *curta* 205, var. *lacustris* 204, var. *subinermis* 204; *baltica* 204, var. *affinis* 205, var. *rigida* 204; *borreri* 208; *braunii* 204; *canescens* 205; *capillacea* 205, 206; *capillaris* 206; *ceratophylla* 206; *connivens* 205; *contraria* 205, var. *contraria* 205, var. *hispidula* 205; × *hispida* 205; *coronata* 204; *crassicaulis* 206; *crinita* 205; *curta* 205; *delicatula* 204, 206, var. *annulata* 206, var. *barbata* 206; *denudata* 205; *desmacantha* 205; *diffusa* taxon *annulata* 206; *dissoluta* 205; *flexilis* 207, var. *stellata* 207; *foetida* 206, var. *crassicaulis* 206; *fragifera* 205; *fragilis* 205, var. *capillacea* 205, var. *fulcrata* 205, var. *hedwigii* 205, var. *sturrockii* 205; *globularis* 205, f. *connivens* 205, f. *curta* 205, f. *fragifera* 205, var. *annulata* 206, var. *aspera* 204, var. *capillacea* 205, var. *hedwigii* 205, var. *virgata* 206; *glomerata* 207; *gracilis* 207; *gymnophylla* 206; *hispida* 204, 205, 208, f. *major* 205, f. *polyacantha* 204, f. *rudis* 205, subsp. *rudis* 205, var. *baltica* 204, var. *gymnoteles* 205, var. *macracantha* 205, var. *major* 205, var. *pseudocrinita* 204, var. *rudis* 205; *horrida* 205; *hyalina* 207; *intermedia* 205; *intricata* 207; *latifolia* 206; *longibracteata* 206; *major* 205; *mucronata* 207; *muscosa* 205; *obtusa* 206; *opaca* 207; *papillosa* 205; *papulosa* 206; *pedunculata* 204; *polyacantha* 204; *polysperma* 207; *prolifera* 208; *pulchella* 205; *rudis* 205; *smithii* 207; *stellata* 207; *stelligera* 206; *sturrockii* 205; *tenuissima* 207; *tomentosa* 206; *translucens* 207; *virgata* 206, **var. annulata (Lilj.) N.F. Stewart & J.A. Bryant, comb nov.** 206, var. *virgata* 206; *vulgaris* 206, f. *contraria* 205, f. *crassicaulis* 206, f. *dissoluta* 205, f. *hispidula* 205, f. *longibracteata* 206, f. *muscosa* 205, var. *atrovirens* 206, var. *contraria* 205, var. *crassicaulis* 206, var. *denudata* 205, var. *gymnophylla* 206, var. *hispidula* 205, var. *longibracteata* 206, var. *papillata* 206, var. *refracta* 206, var. *sturrockii* 205, var. *vulgaris* 206; *wallrothii* 206

Characeae. A checklist of Characeae of the British Isles 203-208

Chater, A.O. - The treatment of infraspecific taxa in local Floras 281-286

Chater, A.O. - Rev. of *The flora of Ely* (by R.M. Payne) 583

Chater, A.O. & Stace, C.A. - A new hybrid binomial in *Narcissus* L. 532-533

Chenopodium ambrosioides (v.c. **29**) 543; *desiccatum* (v.c. **29**) 543; *ficifolium* (v.c. **49**) 229; *hybridum* (v.c. **64**) 543; *opulifolium* (v.c. **61**) 543; *rubrum* 163, 165; *vulvaria* 374

Chrysanthemum myconis 476

Chrysosplenium alternifolium 139; *tetrandrum* 139

Cicerbita bourgaei (v.c. **29**, **88**) 567; *macrophylla* (v.c. **93**) 567, subsp. *uralensis* (v.c. **42**) 243; *plumieri* (v.c. **93**) 567

Cirsium acaule 86, 477, 478; *arvense* 78, 111, 152, 157, 163, var. *maritimum* 281; *dissectum* 295, 373, 475, (v.c. **47**) 566; *palustre* 111, 157, 516; *vulgare* 157, 163

Cladium mariscus 295, 373, 374

Cladonia pyxidata 516

Clarkia amoena (v.c. **43**) 238

Claytonia sibirica (v.c. **113(A)**) 544

Clematis tangutica (v.c. **29**, **44**) 542; *vitalba* 584; *viticella* (v.c. **29**) 542

Clement, E.C., with C.H. Gimingham, D. Welch & P. Lane - A large population of *Plagiobothrys scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain 159-169

Climacium dendroides 163, 530

Clinopodium ascendens (v.c. **39**) 562; *calamintha* 373; *vulgare* 430, (v.c. **91**) 562

Cochlearia 489, 527; *alpina* 527, 528; *anglica* 60; *anglica* × *officinalis* (v.c. **95**) 548; *arctica* 527; *conferta* in the herbarium of the University of Birmingham. A specimen of, 527-528; *danica* 84, (v.c. **42**) 232 × *hollandica* (v.c. **95**) 548; *micacea* 527, 528; *officinalis* 157, 373, 374, 528, subsp. *officinalis* (v.c. **29**) 548; *pyrenaica* 136, 527, 528, subsp. *pyrenaica* (v.c. **77**) 232

Cochraine, P.M., with P.M. Smith & R.O.D. Dixon (eds) - *Plant life of Edinburgh and the Lothians* (Bk Rev.) 585-586

Colchicum autumnale (v.c. **46**) 249, 373

Coleostephus myconis 476

Collema tenax 84

Colutea arborescens × *orientalis* (v.c. **29**) 554; × *media* (v.c. **29**) 554

Comes, H.P., with R.J. Abbott, J.K. James & D. G. Forbes - Hybrid origin of the Oxford Ragwort, *Senecio squalidus* L.: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. & Kit. 17-29

Conference. Local Flora Writers conference papers - Liverpool Museum, 11 to 12 April 2002 271-357

Conferva nidifica 207

Conium maculatum 558

Convolvulus arvensis 478

Conyza bilbaoana (v.c. **29**, **H6**) 569; *canadensis* 569; *sumatrensis* (v.c. **29**) 244, (v.c. **64**, **113(A)**) 569

Coprinus atramentarius 179

Copson, P.J. - Obit. of John Charles Bowra (1918-2002) 589-591

Cordyline australis (v.c. **H6**) 579

Corner, R.W.M. - Observations on introgression between *Carex nigra* and *C. bigelowii* (Cyperaceae) 217-220

Corner, R.W.M. - The enigma of montane *Sagina maritima* Don 215-217

Cornus alba (v.c. **46**) 557; *sanguinea* (v.c. **81**) 238; *sericea* (v.c. **107**) 238, 557; *suecica* 136

Coronopus didymus (v.c. **81**) 548

Cortaderia richardii (v.c. **95**) 248; *selloana* (v. c. **49**) 248, (v.c. **29**, **41**, **52**, **113(A)**, **113(S)**) 576

Corydalis cheilanthifolia (v.c. **29**) 542

Corylus avellana 91

Corynephorus canescens 351

Cotoneaster ascendens (v.c. **77**) 554; *bullatus* (v.c. **51**, **80**) 236; *cochleatus* (v.c. **29**) 554; *conspicuus* (v.c. **51**) 236, (v.c. **64**) 554; *dammeri* × *conspicuus* (v.c. **58**) 236, (v.c. **29**, **64**) 553; *dielsianus* (v.c. **29**, **50**, **H6**) 554; *divaricatus* (v.c. **29**) 554; *frigidus* (v.c. **29**) 553; *frigidus* × *salicifolius* (v.c. **81**) 236, (v.c. **29**) 553; *glabratus* (v.c. **29**) 554; *glaucophyllus* (v.c. **29**) 554; *hjelmqvistii* (v. c. **29**, **64**) 554; *ignescens* (v.c. **77**) 554; *induratus* (v.c. **29**) 554; *integrifolius* (v.c. **93**) 554; *lacteus* (v.c. **29**) 553; *mairei* (v.c. **77**) 554; *marginatus* (v.c. **77**) 236; *nitens* (v.c. **51**, **77**) 236; *rehderi* (v.c. **29**) 554; *rotundifolius* (v.c. **68**) 554; *salicifolius* (v.c. **51**) 236; *simonsii* (v.c. **43**) 236; *sternianus* (v.c. **49**) 236, (v.c. **29**) 554; × *suecicus* (v.c. **58**) 236, (v.c. **29**, **64**) 553; × *watereri* (v.c. **81**) 236, (v.c. **29**) 553

Cowan, R.S., with M.F. Fay & D.A. Simpson - Hybridisation between *Schoenoplectus tabernaemontani* and *S. triqueter* (Cyperaceae) in the British Isles 433-442

Crambe maritima (v.c. **58**) 232, (v.c. **46**) 548

Crassula helmsii (v.c. **42**, **43**, **52**, **81**) 233, (v.c. **47**, **113(A)**) 549, 556; *tillaea* 483

Crataegus crus-gallii (v.c. **51**) 236; × *media* (v. c. **80**, **95**) 554; *monogyna* 91, 157, 420; *monogyna* × *laevigata* (v.c. **80**, **95**) 554

Crepis biennis (v.c. **46**) 243; *capillaris* 111, 157; *foetida* 299, 364, 374; *rubra* (v.c. **29**) 568; *setosa* 167; *vesicaria* 476, subsp. *taraxacifolia* 364

Crithmum maritimum 88

Crocosmia paniculata (v.c. **77**) 249, (v.c. **52**, **77**) 579; *pottsii* (v.c. **49**) 249, (v.c. **5**, **49**, **H6**) 579

Crocus 456; *nudiflorus* (v.c. **80**) 579; *speciosa* (v.c. **64**) 579

Cucubalus 256

× *Cupressocyparis leylandii* (v.c. **77**) 228

Cupressus macrocarpa × *Chamaecyparis nootkatensis* (v.c. **77**) 228

Cyclamen 456; *coum* (v.c. **44**) 548; *hederifolium* (v.c. **44**, **64**, **113(A)**) 548

Cymbalaria muralis subsp. *visianii* (v.c. **64**) 564; *pallida* (v.c. **46**, **77**) 241

Cynara cardunculus (v.c. **H6**, **113(A)**) 570, var. *cardunculus* 570, var. *scolymus* 570

Cynodon dactylon (v.c. **44**) 576

Cynoglossum germanicum 373

Cynosurus cristatus 420, 476, 478; *echinatus* (v. c. **113(A)**) 573

Cyperus congestus 251; *eragrostis* 251, (v.c. **46**) 572; *longus* 274, (v.c. **H6**) 572

Cyrtomium falcatum (v.c. **46**) 227

Cystopteris fragilis 137, 374

Cytisus striatus (v.c. **41**) 237

Daboecia 258

Dactylis glomerata 83-85, 157, 416, 420, 477, 479

× *Dactylodenia st-quintinii* (v.c. **78**) 250

Dactylorhiza 116, 148, 438; *fuchsii* 157, 344, 438, 440, 441; *incarnata* s.l. 438, 440, subsp. *cruenta* 441, subsp. *ochroleuca* 441, subsp. *pulchella* (v.c. **107**) 250, (v.c. **81**) 579; *purpurella* 157; *traunsteineri* (v.c. **46**) 579

Danthonia decumbens 474

Daphne mezereum 364, 367, 374

Darmera peltata (v.c. **80**) 549

Datura ferox (v.c. **35**, **64**) 561

Datura stramonium var. *tatula* (v.c. **113(A)**) 561

Daucus carota 83, 84, 87, 477, 479, subsp. *drepanensis* 38, subsp. *sativus* (v.c. **113 (A)**) 560

Dauncey, E.A., Rayner, T.G.J. & Shah-Smith, D.A. (eds) - *Poisonous plants and fungi in Britain and Ireland (Interactive identification system on CD-ROM* (Rev.) 456-457

Demars, B.O.L. & Gornall, R.J. - Identification of British species of *Callitriche* by means of isozymes 389-399

Deschampsia alpina 136; *cespitosa* 417, subsp. *cespitosa* 157, subsp. *parviflora* (v.c. **42**, **46**) 247, (v.c. **43**) 574; *flexuosa* 351, 516; *setacea* 51

Descurania sophia (v.c. **43**, **46**) 231, (v.c. **44**, **80**) 547

Dianthus barbatus (v.c. **52**) 544; *carthusianorum* (v.c. **50**) 229; *ii* (v.c. **107**) 229, (v.c. **50**, **113(S)**) 544

Diapensia lapponica 136, (map) 138

Diaz, A. & Kite, G.C. - A comparison of the pollination ecology of *Arum maculatum* and *A. italicum* in England 171-181

Dickson, J.H., Macpherson, P. & Watson, K. - *The changing flora of Glasgow* (Bk Rev.) 113-114

Dicranella palustris 48

Dicranium scoparium 516

Digitalis purpurea 459

Digitaria ischaemum (v.c. **29**) 248, (v.c. **29**) 576

Dines, T. - Rev. of *The plant life of Snowdonia* (ed by P. Rhind & D. Evans) 455

Dines, T.D. & Bonner, I.R. - A new hybrid horsetail, *Equisetum arvense* × *E. telmateia* (*E.* × *robertsii*) in Britain 145-157

Dines, T.D., with C.D. Preston & D.A. Pearman (eds) - *New atlas of the British and Irish Flora* (Bk Rev.) 583-584

Diphasiastrum alpinum 136, (map) 138; *complanatum* subsp. *issleri* (v.c. **108**) 227

Diplophyllum albicans 516

Diplotaxis tenuifolia 367

Dipsacus fullonum (v.c. **107**) 242; *laciniatus* (v. c. **58**) 566; *pilosus* (v.c. **44**) 242; *sativus* (v. c. **39**) 566

Dixon, R.O.D., with P.M. Smith & P.M. Cochraine (eds) - *Plant life of Edinburgh and the Lothians* (Bk Rev.) 585-586

Doronicum × *excelsum* (v.c. **77**) 244; *pardalianches* × *plantagineum* × *columnae* (v.c. **77**) 244

Downingia elegans 167, 168

Draba 135, 142; *glabella* 139; *incana* 136, (map) 138; *nivalis* 142; *norvegica* 136, 139; *sibirica* 143

Dracunculus vulgaris (v.c. **113(A)**) 571

Drosera anglica 48, 49; *intermedia* 48; × *obovata* 48, 50; *rotundifolia* 48, 50, 52, 137, (map) 138, 297, 373

Dryas 140, 142; *integrifolia* 140, (map) 140; *octopetala* 136, 140, (map) 140, 141

Dryopteris affinis subsp. *affinis* 157; *carthusiana* × *dilatata* (v.c. **107**) 227, (v.c. **1**) 541; × *deweveri* (v.c. **107**) 227, (v.c. **1**) 541; *dilatata* 157; *expansa* (v.c. **50**) 227; *filix-mas* 157; *fragrans* 144; *oreades* (map) 138, (v.c. **60**) 541

Duchesnea 583

Dudman, Andrew A. (1930-2001) (Obit.) 268

Echinops bannaticus (v.c. **12**) 243, (v.c. **99**) 566; *exaltus* (v.c. **99**) 566; *sphaerocephalus* (v.c. **49**) 242, (v.c. **99**) 566

Echinochloa crus-galli (v.c. **99**) 576

Echium plantagineum (v.c. **113(A)**) 561; *vulgare* 84, (v.c. **43**, **107**) 240

Edwards, B., with D.A. Pearman - *Valerianella eriocarpa* Desv. in Dorset, and a reassessment of its status as a presumed introduction in Britain 81-89

Egeria densa (v.c. **35**) 570

Elaeagnus commutata (v.c. **113(A)**) 555; × *ebbingei* (v.c. **113(A)**, **113(S)**) 556; *macrophylla* × *pungens* (v.c. **113(A)**, **113 (S)**) 556

Elatine hexandra (v.c. **5**) 546; *hydropiper* 121, (v.c. **77**) 230

Eleocharis multicaulis 48-50, 373; *palustris* 135; *parvula* 63; *quinqueflora* 373; *uniglumis* 60, 135, (v.c. **77**) 246, 373, 374

Eleogiton fluitans (v.c. **79**) 246, 361, 373, (v.c. **39**) 572

Elliott, B. - *Flora - an illustrated history of the garden flower* (Bk Rev.) 254-255

Elodea 368; *canadensis* (v.c. **113(A)**) 570; *nuttallii* (v.c. **50**, **52**) 244

Elymus caninus (v.c. **113(A)**) 576

Elytrigia juncea 157, subsp. *boreoatlantica* 417; × *laxa* (v.c. **46**) 248, (v.c. **81**, **95**) 576; *repens* 420, 479; *repens* × *juncea* (v.c. **46**) 248, (v.c. **81**, **95**) 576

Empetrum hermaphroditum (map) 138, 139; *nigrum* 136, 137, 139, 140, 142

Epilobium (Onagraceae) hybrid: *Epilobium brunnescens* (Cockayne) Raven & Engelhorn × *E. parviflorum* (Schreber) (*E.* × *argillaceum*). A new, 519-523; *alsinifolium* 137, 523; *anagallidifolium* 136, (map) 138, 523; **× argillaceum Kitchener, hybr. nov**. 520, A new *Epilobium* (Onagraceae) hybrid: *E. brunnescens* (Cockayne) Raven & Engelhorn × *E. parviflorum* (Schreber), 519-523, (illus.) 521; × *brevipilum* (v.c. **29**) 556; × *brunnatum* 519; *brunnescens* 459, 519, 520, 522, 523; *brunnescens* × *montanum* 523; *brunnescens* (Cockayne) Raven & Engelhorn × *E. parviflorum* (Schreber) (*E.* × *argillaceum*). A new *Epilobium* (Onagraceae) hybrid: 519-523; *ciliatum* 519, 556, (v.c. **113(A)**) 557; *ciliatum* × *palustre* (v.c. **46**, **68**) 557; × *confusilobum* 519, 522; × *cornubiense* 522; × *floridulum* (v.c. **45**) 237, (v.c. **39**, **44**, **46**) 556; × *fossicola* (v.c. **46**, **68**) 557; *hirsutum* 157, 522; *hirsutum* × *ciliatum* (v.c. **44**) 556; *hirsutum* × *parviflorum* (v.c. **45**) 237; *hirsutum* × *tetragonum* (v.c. **29**) 556; × *interjectum* (v.c. **67**, **68**) 556; *lanceolatum* 402, 519, 522, (v.c. **47**, **65**) 557; × *mentiens* (v.c. **17**) 237; *montanum* 157, 519, 522; *montanum* × *ciliatum* (v.c. **67**, **68**) 556; *montanum* × *roseum* (v.c. **46**) 556; × *mutabile* (v.c. **46**) 556; × *novae-civitatis* (v. c. **44**) 556; *obscurum* 519; *obscurum* × *ciliatum* (v.c. **42**, **45**) 237, (v.c. **68**) 557; *obscurum* × *palustre* (v.c. **52**) 237, (v.c. **45**, **46**) 557; *palustre* 137, 519, (v.c. **113(A)**) 557; *parviflorum* 519, 522, 556; *parviflorum* × *ciliatum* (v.c. **45**) 237, (v.c. **39**, **44**, **46**) 556; *parviflorum* × *palustre* (v. c. **45**) 237, (v.c. **68**) 556; *pedunculare* (v.c. **41**) 238; × *rivulare* (v.c. **45**) 237, (v.c. **68**) 556; *roseum* (v.c. **81**) 238, 523, (v.c. **67**) 557; × *schmidtianum* (v.c. **52**) 237, (v.c. **45**, **46**) 557; × *subhirsutum* (v.c. **45**) 237; *tetragonum* 523; *tetragonum* × *ciliatum* (v. c. **17**) 237; × *vicinum* (v.c. **42**, **45**) 237, (v. c. **68**) 557

Epimedium 123

Epipactis 297; *palustris* (v.c. **103**) 249, 373, (v. c. **51**) 579; *purpurata* 295, 365

Equisetum 145, 151, 154, 155, 203, subgen. *Equisetum* 145, 155, subgen. *Hippochaetae* 145, 155; *arvense* 137, 145, 146, 148-151, (illus.) 151, 152, (illus.) 153, 154, 155, 157; *arvense* × *fluviatile* 145; *arvense* × *palustre* 155, (v.c. **1**, **2**) 540; *arvense* × *E. telmateia* (*E.* × *robertsii*) in Britain. A new hybrid horsetail, 145-157, (v.c. **52**, **60**) 540; × *bowmanii* 145, 155, 156; × *dubium* 146; × *dycei* 155, (v.c. **1**, **2**) 539; *fluviatile* 48, 145; *fluviatile* × *arvense* 155, (v.c. **43**) 227, (v.c. **39**, **91**) 539; *fluviatile* × *palustre* 155; *fluviatile* × *telmateia* 155, (v.c. **2**) 539; × *font-queri* 145, 148, 150-152, (illus.) 153, 154-156, 540; *hyemale* 145, 155, (v.c. **27**) 227, (v.c. **H6**) 539; *hyemale* × *variegatum* 145, (v.c. **52**) 539; × *litorale* 145, 155, (v.c. **43**) 227, (v.c. **39**, **91**) 539; × *mildeanum* 155; × *moorei* 155; *palustre* 145, 150-152, 157, 163; *palustre* × *fluviatile* (v.c. **1**, **2**) 539; *pratense* × *sylvaticum* 155; *ramosissimum* 145, 155; *ramosissimum* ×

hyemale 155; × **robertsii T.D.Dines, hybr. nov.** 146, in Britain. A new hybrid horsetail, *Equisetum arvense* × *E. telmateia*, 145-157, (illus.) 147, (illus.) 151, (illus.) 153, (v.c. **52**, **60**) 540; × *rothmaleri* 155, (v.c. **1**, **2**) 540; *sylvaticum* 145; *telmateia* 145, 146, 148, 149-151, (illus.) 151, 152, 154-156, subsp. *braunii* 154; *telmateia* × *palustre* 150, (illus.) 153; *telmateia* × *sylvaticum* 155; × *trachyodon* 145, 152, 155, (v.c. **52**) 539; *variegatum* 136, 137, 145, 155; *variegatum* × *hyemale* 155; × *willmotii* 145, 150, 155, 156, (v.c. **2**) 539

Erica 258; *ciliaris* (v.c. **3**) 232, 323; *ciliaris* 'David McClintock' 258; *ciliaris* × *tetralix* (v.c. **3**) 232; *sicula* subsp. *cyrenaica* 258; *tetralix* 48, 322, 324, 373, 374; *vagans* (v.c. **77**) 548; × *watsonii* (v.c. **3**) 232

Erigeron borealis 136, 139; *glaucus* (v.c. **46**) 244, (v.c. **46**, **113(A)**) 569; *karvinskianus* (v.c. **29**) 569, (v.c. **42**) 244; *speciosus* (v.c. **29**) 569; *uniflorus* 139, 142

Erinus alpinus (v.c. **81**) 241, (v.c. **46**, **91**) 564

Eriophorum 142; *angustifolium* 48, 139, 297; *gracile* 360, 364, 373; *latifolium* 373, (v.c. **93**) 571; *spissum* 139; *triste* 139; *vaginatum* 137, 139, 351

Erodium cicutarium 85, 87; *lebelii* (v.c. **46**) 239; *maritimum* (v.c. **51**) 239; *moschatum* 374, (v.c. **47**) 559, 576

Erophila 368; *glabrescens* (v.c. **52**) 232; *majuscula* (v.c. **52**, **81**) 232, 364, 373, 374; *verna* 83-85

Eruca vesicaria subsp. *sativa* (v.c. **113(A)**) 548

Eryngium campestre 364, 374; *giganteum* (v.c. **50**) 560

Erysimum cheiranthoides (v.c. **81**) 231; *decumbens* × *perofskianum* (v.c. **47**) 231; × *marshallii* (v.c. **47**) 231

Escallonia macrantha (v.c. **47**) 233

Eschscholzia californica (v.c. **43**) 228, (v.c. **113 (S)** 542

Euonymus latifolius (v.c. **80**) 238

Eupatorium cannabinum 152, 157

Euphorbia amygdaloides subsp. *robbiae* (v.c. **42**, **99**) 558; *characias* subsp. *characias* (v. c. **46**) 238, (v.c. **29**) 558, subsp. *veneta* (v.c. **49**) 558; *cyparissias* (v.c. **43**) 238, (v.c. **46**, **113(A)**) 557; *dulcis* (v.c. **81**) 238, (v.c. **91**) 557; *myrsinites* (v.c. **29**) 558; *oblongata* (v. c. **46**) 238, (v.c. **29**) 558; *portlandica* 84, (v.c. **6**) 557; *serrulata* (v.c. **43**) 238, (v.c. **1**) 557

Euphrasia 117, 368, 458, 583; *arctica* 364, 373, 374; *arctica* × *confusa* (v.c. **77**) 564; *arctica* × *nemorosa* (v.c. **49**) 241; *arctica* × *scottica* (v.c. **77**) 564; *frigida* 136, (map) 138, (v.c. **77**) 241; *frigida* × *scottica* (v.c. **77**) 241; *micrantha* (v.c. **49**) 564; *nemorosa* × *micrantha* (v.c. **42**) 241; *ostenfeldii* 137; *pseudokerneri* 373, 374; *salisburgensis* s.l. 137; *scottica* (v.c. **50**) 241; × *venusta* (v.c. **77**) 564

Eurhynchium meridionale 88

Evans, D., with P. Rhind (eds) - *The plant life of Snowdonia* (Bk Rev.) 455

Evans, I.M., with P.A. Evans - *Flora of Assynt: flowering plants* (Bk Rev.) 458-459

Evans, P.A. & Evans, I.M. - *Flora of Assynt: flowering plants* (Bk Rev.) 458-459

Fægri, Knut (1909-2001) (Obit.) 462-464

Fagopyrum esculentum 113, (v.c. **46**, **99**) 545

Fagus 104, 535; *sylvatica* 91

Fallopia baldschuanica 452, (v.c. **99**, **113(A)**) 545; × *bohemica* (v.c. **29**, **110**) 545; × *connollyana*: is it truly such a rarity? New records for, 452-453; *japonica* 452, (v.c. **113(A)**) 545, var. *compacta* (v.c. **64**) 230, var. *japonica* 452; *japonica* × *sachalinensis* (v.c. **29**, **110**) 545; *sachalinensis* 457

Fay, M.F., Cowan, R.S. & Simpson, D.A. - Hybridisation between *Schoenoplectus tabernaemontani* and *S. triqueter* (Cyperaceae) in the British Isles 433-442

Fay, M.F., O'Rourke, A. & Rich, T.C.G. - A preliminary investigation of genetic variation in Western European *Carex depauperata* Curtis ex With. (Cyperaceae), Starved Wood-sedge 507-511

Fay, M.F. *et.al.* - Parentage of an unknown member of the *Sorbus latifolia* (Lam.) Pers. group (Rosaceae) 91-100

Festuca altissima 295, (v.c. **106**) 246; *arenaria* (v.c. **46**) 573; *arundinacea* Schreb. (Poaceae) populations in England. Performance of, 413-426, 479, var. *stricta* 414; *arundinacea* × *Lolium perenne* (v.c. **51**) 246; × *aschersoniana* (v.c. **52**) 246; *baffinensis* 133; *filiformis* 373; *huonii* (v.c. **113(A)**) 573; *ovina* 48, 83, 84, 87, 420, 529, 530, subsp. *ophioliticola* (v.c. **52**, **81**) 246; *pratensis* × *arundinacea* (v.c. **52**) 246; *pratensis* × *Lolium multiflorum* (v.c. **61**) 573; *rubra* 83-85, 157, 163, 188, 420, 476-478, 516, 530, subsp. *arctica* (v.c. **77**) 246, subsp. *commutata* (v.c. **39**, **46**, **64**) 573, subsp. *juncea* (v.c. **68**) 573, subsp. *rubra* 416, 417, 420; *rubra* × *Vulpia fasciculata* (v.c. **51**) 246; *rubra* × *Vulpia myuros* (v.c. **35**) 246; *vivipara* 136, (map) 138

× *Festulolium braunii* (v.c. **61**) 573; *holmbergii* (v.c. **51**) 246

× *Festulpia hubbardii* (v.c. **51**) 246

Ficus carica (v.c. **113(A)**) 543

Filago gallica 258, 364, 374, 501; *lutescens* (v. c. **13**) 243; *minima* 373, (v.c. **66**) 568; *vulgaris* 315, (v.c. **64**) 568

Filipendula ulmaria 157, 516; *vulgaris* (v.c. **41**) 233, 420

Fisher, M., with W. Scott, P. Harvey & R. Riddington - *Rare plants of Shetland* (Bk Rev.) 585

Fitzgerald, R., with T.C.G. Rich - Life cycle, ecology and distribution of *Schoenoplectus triqueter* (L.) Palla (Cyperaceae) Triangular Club-rush, in Britain and Ireland 57-67

Foeniculum vulgare (v.c. **99**) 560

Forbes, D.G., with R.J. Abbott, J.K. James & H. P. Comes - Hybrid origin of the Oxford Ragwort, *Senecio squalidus* L.: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. & Kit. 17-29

Forsythia × *intermedia* (v.c. **43**) 241; *suspensa* (v.c. **77**) 240; *suspensa* × *viridissima* (v.c. **43**) 241

Fragaria ananassa (v.c. **47**) 235; *moschata* (v.c. **80**) 235; *vesca* 157, (v.c. **113(A)**) 551

Fraxinus 104; *excelsior* 91

Fritillaria meleagris 373, 483, 581

Fumaria bastardii (v.c. **80**) 542; *capreolata* subsp. *capreolata* f. *capreolata* (v.c. **29**) 542; *caroliana* (v.c. **29**) 542; *purpurea* (v.c. **81**) 228, (v.c. **H6**) 542

Galanthus elwesii (v.c. **46**) 578

Galeopsis angustifolia 373, 408, 409; *dubia* 401; *ochroleuca* 401; *segetum* Neck. (Lamiaceae), Downy Hemp-nettle: native or introduced in Britain? 401-411, (map) 403, (map) 404, var. *nepetifolia* 405, var. *varians* 405; *speciosa* 410, 411; *tetrahit* 408, 410, 411; *villosa* 401, 408

Galinsoga parviflora (v.c. **44**) 244

Galium aparine 157, 327, var. *aparine* 281, var. *marinum* 281; *mollugo* 84, subsp. *mollugo* (v.c. **58**) 565; *palustre* subsp. *elongatum* (v. c. **43**, **107**) 242; *parisiense* (v.c. **6**) 242, 373, 374; × *pomeranicum* (v.c. **39**) 565; *pumilum* 373; *sterneri* 364, 374, 459; *tricornutum* 361, 373, 374, (v.c. **29**) 565; *uliginosum* 111; *verum* 157, 478, 530; *verum* × *mollugo* (v.c. **39**) 565

Gastridium ventricosum 88, (v.c. **10**) 247, 482, 483, (map) 485

Gaudinia 469; *fragilis* 88, *fragilis* (L.) P.Beauv. (Poaceae) in the British Isles. An assessment of the status of, 469-487, (map) 470, var. *breviopica* 470, var. *linearis* 470, var. *nardoides* 470

Gaultheria procumbens (v.c. **46**) 232; *shallon* (v.c. **H6**) 548

Genista anglica 315, 367; *tinctoria* 299, 473, 474

Gentiana nivalis 136; *verna* 136, 137

Gentianella amarella subsp. *septentrionalis* (v. c. **95**) 560; *anglica* 86, 373; *campestris* 373, (v.c. **46**) 560

Geranium dissectum 476; *endressii* (v.c. **43**) 238, (v.c. **113(A)**) 558; *endressii* × *versicolor* (v.c. **51**) 238, (v.c. **29**, **113(A)**) 558, (v.c. **113(S)**) 559; *ibericum* × *platypetalum* (v.c. **113(A)**) 559; *lucidum* (v. c. **113(A)**) 559; *macrorrhizum* (v.c. **43**) 238; × *magnificum* (v.c. **113(A)**) 559; × *oxonianum* (v.c. **51**) 238, (v.c. **29**, **113(A)**) 558, (v.c. **113(S)**) 559; × *oxonianum* × *endressii* (v.c. **113(A)**) 559; *purpureum* 533, 534, (v.c. **35**) 559, subsp. *forsteri* (Wilmott) H.G.Baker. The typification and correct citation of the name, 533-535, subsp. *purpureum* 534, var. *forsteri* 534, var. *purpureum* 534, var./subsp. *purpureum* 534; *pusillum* (v.c. **79**, **113(A)**) 559; *pyrenaicum* (v.c. **91**) 559; *robertianum* 157, 533, 534, var. *purpureum* 534; *rotundifolium* 84, 85, (v.c. **39**, **52**) 559; *sanguineum* (v.c. **113(S)**) 559; *sylvaticum* (v.c. **39**) 559; *versicolor* (v.c. **46**) 238

Geum macrophyllum (v.c. **46**) 235; rivale 137, 142, 516

Gibbons, B. - Rev. of *Les orchidées de France, Belgique et Luxembourg* (Société Francaise d'Orchidophile) 455

Gibson, D.J. & Taylor, I. - Performance of *Festuca arundinacea* Schreb. (Poaceae) populations in England 413-426

Gilmour, J.S.L. 1-15

Gimingham, C.H., Welch, D., Clement, E.C. & Lane, P. - A large population of *Plagiobothrys scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain 159-169

Glaux maritima 417

Glechoma hederacea 157

Glyceria fluitans × *declinata* (v.c. **29**) 574

Gnaphalium luteoalbum (v.c. **29**, **H6**) 568; *norvegicum* 136, (map) 138; *supinum* 136, (map) 138; *uliginosum* 163, 168

Godfrey, M.F. - A specimen of "*Cochlearia conferta*" in the herbarium of the University of Birmingham 527-528

Gornall, R.J. - Rev. of *The evolution of plants* (by K.J. Willis & J.C. McElwain) 456

Gornall, R.J. - Rev. of *The origin, expansion and demise of plant species* (by D.A. Levin) 114-115

Gornall, R.J., with B.O.L. Demars - Identification of British species of *Callitriche* by means of isozymes 389-399

Gorringe, E., with D. Briggs - The struggle to produce a Flora of the British Isles (1933-1952) 1-15

Grant, M.L. - A new, purple-leaved form of *Poa annua* L. (Poaceae) is a cryptic weed 525-526

Green, I.P., with R.J. Higgins, C. Kitchen & M. A.R. Kitchen - *The flora of the Bristol region* (Bk Rev.) 116-117

Greenwood, E.F. - Understanding change: a Lancashire perspective 337-350

Griselinia littoralis (v.c. **52**) 557

Groenlandia densa 60, 345

Groom, Q.J. - Rev. of *Poisonous plants and fungi in Britain and Ireland (Interactive identification system on CD-ROM* (ed by E. A Dauncey, T.G.J. Rayner & D.A. Shah-Smith) 456-457

Guizotia abyssinica (v.c. **35**) 570

Gunnera tinctoria (v.c. **49**) 237, (v.c. **46**, **113 (A)**) 556

Gymnadenia conopsea subsp. *borealis* (v.c. **81**) 579; *conopsea* × *Dactylorhiza fuchsii* (v.c. **78**) 250

Gymnocarpium dryopteris 297, 373; *robertianum* 364, 367, 374; *viridulum* 88

Hackney, P. - Rev. of *The Flora of County Cavan* (by P.A. Reilly) 457

Hackney, P., with B.S. Rushton & C.R. Tyrie (eds) - *Biological collections and biodiversity* (Bk Rev.) 253-254

Halliday, G. - The British Flora in the Arctic. Presidential Address, 2001 133-144

Halliday, G. - Obit. of Andrew John Cadoux Malloch (1945-2001) 267

Halliday, G. & Richards, A.J. - Obit. of Andrew A. Dudman (1930-2001) 268

Hambler, D.J. - Ploidy of *Primla farinosa* L. revisited 450-452

Hammarbya paludosa (v.c. **44**) 250, 311, 312

Hand, S.O., with T.C.G. Rich - Conservation of Britain's biodiversity: *Hieracium snowdoniense* (Asteraceae), Snowdonia Hawkweed 513-518

Harding, P.T. - Rev. of *Oaks, dragonflies and people* (by N.W. Moore) 581

Harding, P.T. & Wall, T. (eds) - *Moccas: an English deer park* (Bk Rev.) - 251-252

Harris, S.A. - Introduction of Oxford Ragwort, *Senecio squalidus* L. (Asteraceae), to the United Kingdom 31-43

Harvey, P., with W. Scott, R. Riddington & M. Fisher - *Rare plants of Shetland* (Bk Rev.) 585

Hebe brachysiphon (v.c. **29**) 564; *salicifolia* (v. c. **77**) 241

Hedera azorica (v.c. **29**) 559; *colchica* (v.c. **80**) 239, (v.c. **58**) 559; *helix* 85, 152, subsp. *helix* 157, subsp. *hibernica* (v.c. **107**) 239, (v.c. **35**) 559

Helianthemum nummularium 312, 420, 529, 530

Helianthus annuus (v.c. **42**, **113(A)**) 570

Helichrysum petiolare (v.c. **29**, **113(A)**) 568

Helictotrichon pratense 84, 478, 529; *pubescens* 344

Hemerocallis fulva (v.c. **46**) 577

Henslow, J.S. *Henslow, John Stevens (1796-1861). Darwin's mentor:* (Bk Rev.) 252-253

Heracleum sphondylium 152, 157, 416, 477

Herminium monorchis 365

Herniaria glabra (v.c. **13**, **51**, **107**) 229

Heuchera sanguinea (v.c. **64**) 233

Heywood, V.H. - Obit. of Norman Alan Burges, CBE (1911-2002) 591-593

Hickey, M. & King, C. - *The Cambridge illustrated glossary of botanical terms* (Bk Rev.) 120-121

Hieracium 4, 9, 10, 101, 102, 104, 134, 337, 353, 368, 457, 514, 517, 583, 585, sect. *Vulgata* 513; *alpinum* (map) 138; *argutifolium* (v.c. **29**) 568; *asteridiophyllum* and *H. cillense* (Asteraceae). Conservation of Britain's biodiversity: 101-106, (map) 103, (map) 105; *calcaricola* (v.c. **12**) 243; *cillense* (Asteraceae). Conservation of Britain's biodiversity: *H. asteridiophyllum* and, 101-106, (map) 103, (map) 105; *cuneifrons* 513; *cyathis* 104; *diaphanum* (v.c. **43**) 243, (v.c. **29**) 568; *dicella* 104; *eboracense* (v.c. **47**) 568; *killinense* 513; *lasiophyllum* 101; *murorum* 513, var. *pulcherrimum* 513; *pellucidum* 101, var. *pulcherrimum* 513; *placerophylloides* (v.c. **44**) 568; *pulcherrimum* 513; *rigens* (v.c. **77**) 568; *sabaudum* (v.c. **95**) 568; *snowdoniense* (Asteraceae), Snowdonia Hawkweed. Conservation of Britain's biodiversity: 513-518, (illus.) 514, (map) 515; *strictiforme* (v. c. **77**) 568; *subbritannicum* 104; *subcrassum* (v.c. **64**) 568; *subrude* (v.c. **91**) 568

Higgins, R.J., with I.P. Green, C. Kitchen & M. A.R. Kitchen - *The flora of the Bristol region* (Bk Rev.) 116-117

Hill, M.O. - Using data from local floras for ecological research 321-329

Himantoglossum hircinum 323, 327, (v.c. **13**) 579

Hippocrepis comosa 84

Hippophae rhamnoides (v.c. **91**, **113(A)**) 555

Hippuris vulgaris (map) 138

Hirschfeldia incana (v.c. **52**) 548

Holcus 482; × *hybridus* (v.c. **46**) 574; *lanatus* 111, 157, 416, 420, 459, 476-478, var. *soboliferus* 574; *lanatus* × *mollis* (v.c. **46**) 574

Holodiscus discolor (v.c. **99**) 549

Homalothecium lutescens 530

Honckenya peploides (map) 138, 256

Hopf, M., with D. Zohary - *Domestication of plants in the Old World* (Bk Rev.) 113

Hordeum distichon 575; *jubatum* (v.c. **51**, **96**) 248, (v.c. **52**) 576; *secalinum* (v.c. **43**) 248, 477, 478, (v.c. **77**) 576

Hottonia palustris 297, 312, 344

Hounsome, G. - Rev. of *Flora of Middlesex: a supplement to* The Historical Flora of Middlesex (by D.H. Kent) 251

Humulus 583

Huperzia selago 136, 139, (v.c. **35**) 227, 297, 365, subsp. *arctica* 139

Hyacinthoides non-scripta 321, 323; *non-scripta* × *hispanica* (v.c. **42**, **43**, **45**, **52**) 249

Hyde, Enid Mary (1925-2002) (Obit.) 593-594

Hydrangea macrophylla (v.c. **113(A)**, **113(S)**) 549

Hydrocharis morsus-ranae 457, (v.c. **64**) 570

Hydrocotyle ranunculoides (v.c. **10**, **58**) 239, (v.c. **39**, **47**) 559; *vulgaris* 48, 160

Hymenophyllum 348; *tunbrigense* (v.c. **44**) 540; *wilsonii* 516, 540

Hyoscyamus niger 296, 456, 584

Hypericum androsaemum 157, (v.c. **113(A)**) 546; × *hircinum* (v.c. **77**) 230, (v.c. **39**) 546; × *desetangsii* (v.c. **43**, **107**) 230, nothosubsp. *desetangsii* (v.c. **44**) 546; *elodes* 52, 297, (v.c. **39**) 546; *forrestii* (v.c. **77**) 546; *hircinum* (v.c. **43**) 230, (v.c. **44**) 546, subsp. *majus* (v.c. **46**) 230; *humifusum* × *linariifolium* (v.c. **45**) 546; × *indorum* (v. c. **77**) 230, (v.c. **39**) 546; *montanum* 373; *perforatum* × *maculatum* (v.c. **43**, **107**) 230; *perforatum* × *maculatum* subsp. *obtusiusculum* (v.c. **44**) 546; *pulchrum* 516, 586; *tetrapterum* 111, 157

Hypnum jutlandicum 516

Hypochaeris glabra 297, 311, 312, 373; *maculata* 365; *radicata* 111, 157, subsp. *ericetorum* 281

Iberis umbellata (v.c. **50**) 232

Ilex × *altaclerensis* (v.c. **45**) 238; *aquifolium* 91, (v.c. **113(A)**) 557; *aquifolium* × *perado* (v. c. **45**) 238

Illecebrum verticillatum (v.c. **52**) 544

Impatiens capensis (v.c. **50**) 559; *glandulifera* 457; *noli-tangere* (v.c. **58**) 239, 364, 374, 367, (v.c. **79**) 559

Inula crithmoides 88; *oculus-christi* (v.c. **52**) 568

Iris filifolia × *tingitana* (v.c. **113(A)**) 578; *foetidissima* 324, var. *citrina* 284; *i* (v.c. **46**, **113(A)**) 578; × *hollandica* (v.c. **113(A)**) 578; *latifolia* (v.c. **46**) 249; *orientalis* (v.c. **29**, **58**) 578; *sibirica* (v.c. **42**) 249

Isatis tinctoria (v.c. **107**) 231, 586

Isoetes echinospora (v.c. **44**) 539; *echinospora* × *lacustris* (v.c. **46**) 227; × *hickeyi* (v.c. **46**) 227; *lacustris* 137, (map) 138

Ixia paniculata (v.c. **113(A)**) 579

James, J.K., with R.J. Abbott, D.G. Forbes & H. P. Comes - Hybrid origin of the Oxford Ragwort, *Senecio squalidus* L.: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. & Kit. 17-29

Jasione montana 373

Jasminum beesianum (v.c. **49**) 241

Jenkinson, M.N. - Rev. of *Wild orchids of Sussex* (by D. Lang) 115-116

Jonsell, B. - Swedish provincial Floras - a survey of their history and present status 331-336

Jonsell, B. (ed.) - *Flora Nordica (Chenopodiaceae to Fumariaceae).* Vol. 2 (Bk Rev.) 255-256

Juncus 142, 491, 493; *acutiflorus* 48, 157; *alpinoarticulatus* (v.c. **96**) 571; *ambiguus* 135, (v.c. **107**) 245, (v.c. **42**, **79**) 571; *arcticus* 139; *articulatus* 163; *articulatus* × *acutiflorus* (v.c. **45**) 571; *balticus* 137, 139, 351; *biglumis* 136, 137; *bufonius* 163, 168; *bulbosus* 48, 157, subsp. *kochii* (v.c. **43**) 245; *castaneus* 136, (map) 138, 141; *compressus* 312, (v.c. **39**) 571; *conglomeratus* 48, 50; × *diffusus* (v.c. **51**) 245; *effusus* 48, 111, 459; *effusus* × *conglomeratus* (v.c. **46**, **81**) 245; *effusus* × *inflexus* (v.c. **51**) 245; *foliosus* (v.c. **42**)

245; *gerardii* 135; *inflexus* 157; × *kernreichgeltii* (v.c. **46**, **81**) 245; *maritimus* (v.c. **81**) 245; *squarrosus* 48, 135, 137, (map) 138, 324, 367, 373; *subulatus* 461; × *surrejanus* (v.c. **45**) 571; *trifidus* 136, (map) 138; *triglumis* 136, 137

Jungermannia 48

Juniperus 579; *communis* 137, (map) 138, 295, 297, 373

Jury, S.L. - Obit. of Humphry John Moule Bowen (1929-2001) 268-270

Karran, A.B. & Rich, T.C.G. - Geographical and temporal distributions of *Alyssum alyssoides* and *Berteroa incana* (Brassicaceae) in the British Isles and the relationship to their modes of introduction 499-506

Kent, D.H. - *Flora of Middlesex: a supplement to* The Historical Flora of Middlesex (Bk Rev.) 251

Kerria japonica (v.c. **43**, **51**) 234, (v.c. **77**) 549

Kickxia elatine 299, (v.c. **39**, **58**) 564; *spuria* 299

King, C., with M. Hickey - *The Cambridge illustrated glossary of botanical terms* (Bk Rev.) 120-121

Kitchen, C., with I.P. Green, R.J. Higgins & M. A.R. Kitchen - *The flora of the Bristol region* (Bk Rev.) 116-117

Kitchen, M.A.R., with I.P. Green, R.J. Higgins & C. Kitchen - *The flora of the Bristol region* (Bk Rev.) 116-117

Kitchener, G.D. - A new *Epilobium* (Onagraceae) hybrid: *Epilobium brunnescens* (Cockayne) Raven & Engelhorn × *E. parviflorum* (Schreber) (*E.* × *argillaceum*) 519-523

Kitchener, G.D. - *Rumex* × *xenogenus* Rech. fil. (Polygonaceae), the hybrid between Greek and Patience Docks, found in Britain 209-213

Kite, G.C., with A. Diaz - A comparison of the pollination ecology of *Arum maculatum* and *A. italicum* in England 171-181

Knautia arvensis 479

Kniphofia praecox (v.c. **41**, **113(A)**) 577; *tuckii*? (v.c. **113(A)**) 577

Kobresia simpliciuscula 136, (map) 138, 141, 143

Koeleria macrantha 83, 84; *vallesiana* 117

Koenigia islandica 136, (map) 138

Laburnum anagyroides (v.c. **51**, **81**) 237, (v.c. **113(A)**) 555; *anagyroides* × *alpinum* (v.c. **45**) 237; × *watereri* (v.c. **45**) 237

Lactuca sativa 20; *serriola* (v.c. **113(A)**) 566; *virosa* 297, (v.c. **50**, **58**) 567

Lagarosiphon major (v.c. **46**) 244

Lagurus ovatus (v.c. **113(A)**) 574

Lamiastrum galeobdolon subsp. *argentatum* (v. c. **51**) 240, (v.c. **113(A)**) 562

Lamium amplexicaule (v.c. **42**) 563; *hybridum* (v.c. **42**) 563; *maculatum* (v.c. **46**) 240

Lamprothamnium 206; *papulosum* 206

Lamprothamnus 206; *alopecuroides* 206; *papulosus* 206

Lane, P., with C.H. Gimingham, D. Welch & E. C. Clement - A large population of *Plagiobothrys scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain 159-169

Lang, D. - *Wild orchids of Sussex* (Bk Rev.) 115-116

Lappula squarrosa (v.c. **29**) 562

Lathraea clandestina (v.c. **5**) 565

Lathyrus grandiflorus (v.c. **68**, **113(A)**) 555; *japonicus* 136; *latifolius* (v.c. **46**, **50**, **81**) 237, (v.c. **67**) 555; *nissolia* (v.c. **77**) 237, 479, (v.c. **52**) 555; *pratensis* 157; *tuberosus* (v.c. **64**) 555

Launert, E. - Obit. of Margaret Cannon (1928-2002) 587

Lavandula angustifolia × *latifolia* (v.c. **49**) 240; × *intermedia* (v.c. **49**) 240

Lavatera × *clementii* (v.c. **29**) 546; *thuringiaca* × *olbia* (v.c. **29**) 546

Lawesson, J.E., with K.K. Rasmussen - *Lycopodiella inundata* in British plant communities and reasons for its decline 45-55

Leach, S.J. & Pearman, D.A. - An assessment of the status of *Gaudinia fragilis* (L.) P. Beauv. (Poaceae) in the British Isles 469-487

Legousia hybrida 296, 312

Leiocolea turbinata 88

Lemna 245; *gibba* (v.c. **51**) 571; *minor* 570; *minuta* (v.c. **45**, **50**, **52**) 245, (v.c. **39**, **77**, **113(A)**, **H6**) 571; *trisulca* (v.c. **45**) 245

Leontodon autumnalis 48, 478, subsp. *pratensis* (v.c. **77**) 243, var. *simplex* 281; *hispidus* 479; *saxatilis* 84, (v.c. **81**) 243, 281, 477, 478, (v.c. **91**) 566, var. *arenarius* 281

Lepidium campestre (v.c. **107**) 232, (v.c. **67**) 548; *densiflorum* 232; *draba* subsp. *draba* (v.c. **43**) 232; *ruderale* (v.c. **68**) 232; *virginicum* (v.c. **44**) 232

Leslie, A.C. - Obit. of David McClintock (1913-2001) 257-266

Leslie, A.C. - Obit. of Joyce Smith (1920-2002) 588-589

Leucanthemella serotina (v.c. **77**) 244

Leucanthemum lacustre × *maximum* (v.c. **81**) 244, (v.c. **110**) 569; × *superbum* (v.c. **81**) 244, (v.c. **110**) 569; *vulgare* 116, 477, 478, 516

Leucojum aestivum (v.c. **58**) 578

Leucothoe fontanesiana (v.c. **46**, **73**) 232

Levin, D.A. - *The origin, expansion and demise of plant species* (Bk Rev.) 114-115

Leycesteria formosa (v.c. **42**) 242

Leymus arenarius 136, 157, (v.c. **46**) 576

Libertia formosa (v.c. **41**, **113(S)**) 578

Ligusticum scoticum 136

Ligustrum vulgare 85, 91

Lilium 123; *pyrenaicum* (v.c. **81**) 249

Limnanthes douglasii (v.c. **43**) 239

Limosella aquatica 121, (map) 138, (v.c. **5**) 563

Linaria × *dominii* (v.c. **29**, **64**) 564; *purpurea* (v.c. **107**) 241, 351, (v.c. **113(A)**) 564; *purpurea* × *repens* (v.c. **29**, **64**) 564; *repens* (v.c. **29**) 564

Linnaea borealis L. (Caprifoliaceae) in lowland Scotland. A reconsideration of the native status of, 427-432

Linum bienne 84, 88, 479, (v.c. **39**) 558; *catharticum* 420, 530; *flavum* (v.c. **39**) 558; *grandiflorum* (v.c. **51**) 558; *perenne* 373; *usitatissimum* (v.c. **43**) 238, 401, (v.c. **99**) 558

Listera cordata 116, (map) 138, (v.c. **34**) 250, 351; *ovata* 344

Lithospermum arvense 584; *rosmarinifolia* 38

Littorella uniflora 48, 51

Lloydia serotina 136, 137

Lobelia dortmanna 48, 50; *erinus* (v.c. **51**) 242; *urens* L. from soil seed bank at a site in South Devon. The re-appearance of, 110-112, 327

Lobularia maritima (v.c. **47**) 231

Local Flora Writers conference papers - Liverpool Museum, 11 to 12 April 2002 271-357

Lockton, A.J., with T.C.G. Rich - *Bromus interruptus* (Hack.) Druce (Poaceae) - an extinct English endemic 69-80

Lockton, A.J., with S.J. Whild - *Carex muricata* L. subsp. *muricata* (Cyperaceae) in Shropshire 528-531

Loisleuria procumbens 136, (map) 138

Lolium 72, 86, 475; × *boucheonunm* (v.c. **64**, **77**, **113(A)**) 573; *multiflorum* 575; *perenne* 111, 157, 416, 417, 420, 476, 478, 482, 504; *perenne* × *multiflorum* (v.c. **64**, **77**, **113(A)**) 573

Lonicera caprifolium (v.c. **46**) 242; *caprifolium* × *etrusca* (v.c. **77**) 565; *involucrata* (v.c. **43**, **44**, **81**) 242, (v.c. **29**) 565; × *italica* (v. c. **77**) 565; *japonica* (v.c. **29**) 565; *periclymenum* 108, 157; *pileata* (v.c. **29**) 565; *tatarica* (v.c. **52**) 566; *xylosteum* (v.c. **81**) 242

Lotus corniculatus 84, 157, 281, 476-478, 530, (v.c. **110**) 555, var. *corniculatus* 285, var. *crassifolius* 285, var. *hirsutus* 285, var. *incanus* 285, var. *sativus* 285; *glaber* (v.c. **58**) 554; *pedunculatus* 111, 157

Lovatt, C.M. - Rev. of *The flora of the Bristol region* (by I.P. Green, R.J. Higgins, C. Kitchen & M.A.R. Kitchen) 116-117

Lowe, A.J. & Abbott, R.J. - A new British species, *Senecio eboracensis* (Asteraceae), another hybrid derivative of *S. vulgaris* L. and *S. squalidus* L. 375-388

Lupinus arboreus (v.c. **43**) 237; *arboreus* × *polyphyllus* (v.c. **110**) 555; × *regalis* (v.c. **110**) 555

Luronium natans 368, 373, 374

Lusby, P. - Rev. of *Rare plants of Shetland* (by W. Scott, P. Harvey, R. Riddington & M. Fisher) 585

Luzula 142; *arcuata* 136, 139; *campestris* 477, 478; *confusa* 136, 139; *forsteri* (v.c. **49**) 245, (v.c. **46**) 571; *pilosa* 312; *spicata* 136, (map) 138, 142; *sylvatica* 218, 516

Lychnis 141, 255; *alpina* 136, (map) 138, 141

Lychnothamnus alopecuroides 206; *stelligera* 206

Lycium barbarum (v.c. **107**) 239

Lycopersicon 560; *esculentum* (v.c. **50**) 239

Lycopodiella inundata in British plant communities and reasons for its decline 45-55, (map) 47, 311, 312, 315

Lycopodium annotinum 136, 139; *clavatum* 310, 311, 367, 373; *pungens* 139

Lysimachia ciliata (v.c. **93**) 548; *nemorum* 111; *nummularia* (v.c. **107**) 232; *punctata* (v.c. **51**, **107**) 232

Lythrum hyssopifolium 257, 311, 312, 373, 374; *portula* 373, (v.c. **113(S)**) 556, subsp. *longidentatum* (v.c. **44**) 556; *salicaria* (v.c. **107**) 237

Macpherson, P., with J.H. Dickson & K. Watson - *The changing flora of Glasgow* (Bk Rev.) 113-114

Mahonia 256

Malloch, Andrew John Cadoux (1945-2001) (Obit.) 267

Malus domestica (v.c. **107**) 236

Malva moschata (v.c. **91**) 546; *parviflora* (v.c. **39**) 546

Marchantia polymorpha subsp. *polymorpha* 586

Marrubium vulgare 373

Matricaria recutita 116

Matthiola incana (v.c. **44**) 547; *longipetala* (v.c. **47**) 231

McClintock, D. Selected publications of, 261-266

McClintock, David (1913-2001) (Obit.) 257-266, (illus.) 259

McElwain, J.C., with K.J. Willis - *The evolution of plants* (Bk Rev.) 456

McKean, D.R. - Rev. of *Wild flowers of Fife and Kinross* (by G.H. Ballantyne) 458

Medicago 4, 6; *arabica* 296, 483; *laciniata* (v.c. **58**) 555; *lupulina* 84, 477, 479; *minima* 367; *polymorpha* 86, 87, 296; *sativa* subsp. *sativa* (v.c. **93**) 555, subsp. *varia* (v.c. **64**) 555; *truncatula* (v.c. **13**) 237, (v.c. **58**) 555

Melampyrum 10; *arvense* 311, 312

Melandrium apetalum 142

Melissa officinalis (v.c. **113(S)**) 562

Mentha arvensis × *spicata* (v.c. **5**) 562; × *gracilis* (v.c. **5**) 562; *pulegium* 168, 297, 311, 312, (v.c. **52**) 562; *spicata* × *longifolia* (v.c. **44**) 240, (v.c. **113(A)**) 562; *suaveolens* (v.c. **43**) 240, 361, 373, (v.c. **29**) 562; × *villosonervata* (v.c. **44**) 240, (v.c. **113(A)**) 562

Menyanthes 245; *trifoliata* 297

Mertensia maritima 136, 430, (v.c. **91**) 561

Mespilus germanica (v.c. **113(S)**) 554

Microbryum rectum 88

Mimulus × *burnetii* (v.c. **81**, **107**) 242; *guttatus* (v.c. **64**) 563; *guttatus* × *cupreus* (v.c. **81**, **107**) 242; *guttatus* × *luteus* (v.c. **29**) 563; × *robertsii* 563, (v.c. **29**) 563

Minuartia 142; *hybrida* 505; *recurva* 136; *rubella* 136, 137, 142; *sedoides* 136; *stricta* 136, (map) 138, 141, 143; *verna* 141, 256, (v.c. **H6**) 544

Mirabilis jalapa (v.c. **113(A)**) 543

Misopates orontium 373, (v.c. **29**) 564

Mitchell, J. - *Loch Lomondside: gateway to the western highlands of Scotland* (Bk Rev.) 121

Mnium hornum 516

Moenchia erecta 256, 367, 373

Molinia 232, 234, 242, 285; *caerulea* 48, 324

Montia fontana 373, subsp. *chondrosperma* 255, subsp. *fontana* (v.c. **43**) 229; *minor* 255

Moore, N.W. - *Oaks, dragonflies and people* (Bk Rev.) 581

Morus nigra (v.c. **29**) 543

Moss, B. - *The Broads: the people's wetland* (Bk Rev.) 581-582

Muscari armeniacum (v.c. **43**) 249, (v.c. **113 (A)**) 577; *neglectum* (v.c. **29**) 577

Mycelis muralis (v.c. **91**) 567

Myosotis 159, 160; *alpestris* 135-137; *laxa* 163, subsp. *caespitosa* (v.c. **113(A)**) 561; *ramosissima* 84, 160; *scorpioides* 163; *scorpioides* × *laxa* (v.c. **43**) 561; × *suzae* (v.c. **43**) 561

Myosoton 583

Myosurus minimus 373, 374, 493

Myrica 572; *gale* 48

Myriophyllum alterniflorum (v.c. **39**)237, 373, 374, (v.c. **39**) 556; *aquaticum* (v.c. **39**) 237, (v.c. **35**, **39**, **50**, **52**, **64**, **113(A)**) 556; *spicatum* 135; *verticillatum* (v.c. **113(A)**) 556

Narcissus L. A new hybrid binomial in, 532-533; *aureus* 532; *bertolonii* 532; *cyclamineus* 532; *cyclamineus* × *moschatus* 532; *cyclamineus* × *pseudonarcissus* 532; *cyclamineus* × *tazetta* 532; 'Cyclataz' 532; **× cyclazetta Chater & Stace, hybr. nov.** 532; × *dichromus* 532; 'Jumblie' 532; × *monochromus* 532; *poeticus* (v.c. **43**) 249; 'Quince' 532; 'Soleil d'Or' 532; *tazetta* 532, subsp. *aureus* 532; 'Tête à Tête' 532

Nardurus maritimus 470

Nardus stricta 48, 297, 324, 373

Narthecium ossifragum 48, 49, 297

Nash, D. - Rev. of *An annotated topographical checklist of the flowering plants, conifers, ferns and fern allies of the Burren region* (comp. and ed by E.C. Nelson) 117

Nelson, E.C. - Wisbech and Fenland Museum herbarium (WBCH): a history with a list of collectors 489-498

Nelson, E.C. (comp. and ed.) - *An annotated topographical checklist of the flowering plants, conifers, ferns and fern allies of the Burren region* (Bk Rev.) 117

Neottia nidus-avis (v.c. **47**) 249

Nepeta × *faassenii* (v.c. **50**, **51**) 562; *racemosa* × *nepetella* (v.c. **50**, **51**) 562

New Students' British Flora 1-15

Newton, A. & Randall, R.D. - A Devon and Somerset Bramble (Rosaceae: *Rubus* L. subgen. *Rubus*) revived 443-446

Nicandra physalodes (v.c. **50**) 239, (v.c. **52**, **113 (S)**) 560

Nicotiana alata (v.c. **113(A)**) 561

Nigritella nigra 455

Nitella 206, subgen. *Tolypella* 207; *batrachosperma* 207; *capillaris* 206; *capitata* 206; *confervacea* 207; *flexilis* 207, var. *crassa* 207, var. *flexilis* 207, var. *fryeri* 207, var. *nidifica* 207, var. *spanioclema* 207; *furcata* subsp. *mucronata* 207; *gracilis* 207, var. *confervacea* 207; *hyalina* 207; *mucronata* 207, var. *gracillima* 207, var. *heteromorpha* 207, var. *mucronata* 207; *nordstedtiana* 207; *opaca* 207, var. *attenuata* 207, var. *brachyclema* 207; *spanioclema* 207; *syncarpa* 207, var. *capitata* 206; *tenuissima* 207; *translucens* 207

Nitellopsis 206; *obtusa* 206

Nonea lutea (v.c. **29**) 562

Notes 107-112, 215-225, 447-453, 527-538

Nothofagus 458

Nothoscordum borbonicum (v.c. **41**) 578

Nuphar advena (v.c. **77**) 228

Nymphaea alba (v.c. **51**) 228, 297, (v.c. **113(A)**) 541

Nymphoides peltata (v.c. **113(A)**) 561

Obituaries 123-128, 257-270, 461-465, 587-594

Odontites 458; *vernus* 163

Oenanthe crocata 60, 373; *fistulosa* (v.c. **77**) 239, (v.c. **50**) 560; *fluviatilis* 312; *lachenalii* 361, 373; *pimpinelloides* 88, 472-474, 477, 478, 483, (map) 484, (v.c. **39**) 560, 594; *silaifolia* 581

Oenothera 590; *biennis* (v.c. **43**) 238, 590; *biennis* × *cambrica* (v.c. **49**) 557; *cambrica* (v.c. **34**) 238, 590; *erythrosepala* 557, 590; × *fallax* (v.c. **39**) 557; *glazioviana* × *biennis* (v.c. **39**) 557; *glazioviana* × *biennis* and/or *cambrica* (v.c. **44**) 557; *stricta* (v.c. **45**, **49**) 557

Olearia avicenniifolia (v.c. **113(S)**) 569; *avicenniifolia* × *moschata* (v.c. **41**) 569; × *haastii* (v.c. **41**) 569; *traversii* (v.c. **113(A)**) 569

Omphalodes verna (v.c. **29**) 561

Onobrychis viciifolia (v.c. **51**) 236

Ononis repens 84, 157, 478

Onopordum acanthium 296, (v.c. **113(A)**) 566

Ophioglossum azoricum 137, 142, (v.c. **H6**) 540; *vulgatum* 249, 298, 344, 473, 474

Ophrys apifera 457; *insectifera* 250; *insectifera* × *apifera* (v.c. **13**) 250; × *pietzschii* (v.c. **13**) 250; *sphegodes* 86, 116, 367, 373

Orchis morio 127, (v.c. **47**) 250, 298, 299, 312, 474; *ustulata* 373

Oreopteris limbosperma 297, 344, 373

Origanum vulgare (v.c. **S**) 240, 490, (v.c. **99**) 562

Ornithogalum angustifolium (v.c. **43**) 249

Ornithopus perpusillus (v.c. **79**) 236

Orobanche alba (v.c. **98**) 242; *rapum-genistae* 297

O'Rourke, A., with M.F. Fay & T.C.G. Rich - A preliminary investigation of genetic variation in Western European *Carex depauperata* Curtis ex With. (Cyperaceae), Starved Wood-sedge 507-511

Orthotrichum pulchellum 353, (map) 354

Osmunda regalis 373

Osteospermum jucundum (v.c. **113(S)**) 570

Oswald, P.H. - Rev. of *Plants and plant lore in ancient Greece* (by J.E. Raven, with F. Raven, W.T. Stern, N. Jardine & M. Frasca-Spada (eds)) 118-119

Otanthus maritimus 290

Oxalis corniculata (v.c. **43**) 238, (v.c. **113(A)**) 558; *debilis* (v.c. **44**) 558; *exilis* (v.c. **77**) 238; *incarnata* (v.c. **29**) 558; *latifolia* (v.c. **81**) 238; *pes-caprae* (v.c. **113(S)**) 558

Oxyria digyna 136, 137, 141, 142, 516

Oxytropis 135; *campestris* 137

Paeonia 123

Panicum capillare (v.c. **8**) 248; *miliaceum* (v.c. **S**) 248, (v.c. **99**) 577

Papaver 256; *atlanticum* (v.c. **51**) 228; *dubium* subsp. *lecoqii* (v.c. **39**) 542; *hybridum* 367, 374, 566; *radicatum* 142; *rhoeas* 255, 296; *somniferum* subsp. *setigerum* (v.c. **44**) 542

Parapholis incurva 88, 168; *strigosa* (v.c. **50**) 247

Parentucellia viscosa (v.c. **50**) 241, (v.c. **51**, **64**, **110**) 565

Parietaria 583

Paris quadrifolia 327

Parnassia palustris 310, 311, 373, 459

Parthenocissus quinquefolia (v.c. **43**) 238

Pastinaca sativa (v.c. **42**) 239, 296

Payne, R.M. - *The flora of Ely* (Bk Rev.) 583

Pearman, D.A. - Rev. of *The Sussex rare plant register* (ed by M. Briggs) 118-119

Pearman, D.A. & Edwards, B. - *Valerianella eriocarpa* Desv. in Dorset, and a reassessment of its status as a presumed introduction in Britain 81-89

Pearman, D.A., with C.D. Preston & T.D. Dines (eds) - *New atlas of the British and Irish Flora* (Bk Rev.) 583-584

Pearman, D.A., with S.J. Leach - An assessment of the status of *Gaudinia fragilis* (L.) P. Beauv. (Poaceae) in the British Isles 469-487

Pedicularis 135; *sylvatica* 48, 367, 374, subsp. *hibernica* (v.c. **52**) 241, (v.c. **35**) 565

Pelargonium × *hybridum* (v.c. **49**) 239; *inquinans* × *zonale* (v.c. **49**) 239

Pellia epiphylla 48, 50

Peltigera membranacea 516

Pentaglottis sempervirens (v.c. **113(A)**) 562

Perring, F.H. - Obit. of Derek Arthur Wells (1930-2001) 126-127

Persicaria 110; *alpina* 109, 110; *amphibia* 60; *campanulata* 109, (v.c. **52**, **110**) 544; *capitata* (v.c. **39**) 230, (v.c. **29**, **39**, **41**, **42**) 545; **× fennica (Reiersen) Stace, comb. nov.** 110, (Reiersen) Stace. A new name in the British Flora: 109-110; × *intercedens* (v.c. **46**) 230; *maculosa* 60, 163, 458; *maculosa* × *hydropiper* (v.c. **46**) 230; *minor* (v.c. **43**) 230, 373; *mitis* 373, (v.c. **49**) 544; *mollis* 109; *runcinata* (v.c. **77**) 545; *vivipara* 136, 137, (v.c. **77**) 229; *wallichii* 110; *weyrichii* 109, 110

Petrorhagia saxifraga (v.c. **47**) 229

Petroselinum segetum 86, (v.c. **113(A)**) 560

Petunia axillaris × *integrifolia* (v.c. **47**, **99**) 561; × *hybrida* (v.c. **47**, **99**) 561

Phacelia tanacetifolia (v.c. **41**, **44**, **45**) 240, (v.c. **49**, **113(A)**) 561

Phalaris canariensis (v.c. **110**) 574; *paradoxa* (v.c. **61**) 247

Phegopteris connectilis (map) 138, 540, (v.c. **81**) 540

Phippsia algida 142

Phleum alpinum 136, (map) 138; *bertolonii* 477, 478; *pratense* 420

Phlomis fruticosa (v.c. **29**) 563; *russeliana* (v.c. **29**) 563

Phormium tenax (v.c. **113(A)**) 579

Photinia davidiana (v.c. **41**) 236, (v.c. **64**) 553

Phragmites 62, 65, 125; *australis* 60, 297, 416; *communis* 60, 324

Phuopsos stylosa (v.c. **44**) 242

Phyllitis scolopendrium 157, 297, 459, 586; *scolopendrium* × *Asplenium trichomanes* (v.c. **39**) 540

Phyllodoce caerulea 136, 137, (map) 138

Physalis peruviana (v.c. **99**) 560

Phytophthora 453

Picea sitchensis 427

Picris echioides 476; *hieracioides* (v.c. **H6**) 566

Pilosella aurantiaca subsp. *carpathicola* (v.c. **H6**) 568; *officinarum* 83, 84, 478, 530, subsp. *trichosoma* (v.c. **43**) 243

Pilularia globulifera 121, 373, (v.c. **60**, **65**, **99**) 540

Pimpinella saxifraga 157, 420, 478, 530

Pinches, C. - Rev. of *The history and natural history of Lugg Meadow* (by A. Brian & P. Thomson) 581

Pinguicula alpina 136, 137; *lusitanica* 315; *vulgaris* 48, (map) 138, 295, 297, 338

Pinus nigra subsp. *laricio* (v.c. **113(A)**, **113(S)**) 541, subsp. *nigra* (v.c. **113(A)**) 541; *peuce* (v.c. **46**) 228; *pinaster* (v.c. **113(A)**) 541; *sylvestris* 48, 49, 427, (v.c. **113(A)**) 541; *wallichiana* (v.c. **29**) 541

Plagiobothrys fulvus 168; *scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain. A large population of, 159-169, (illus.) 161, (illus.) 162, (map) 164, (illus.) 166, (v.c. **39**) 561, var. *penicillatus* 167

Plagiochila spinulosa 516

Plant records 227-250, 539-579

Plantago coronopus 83, 84, 87, 374; *lanceolata* 83, 84, 87, 157, 420, 479, 530; *major* 163, 165, subsp. *intermedia* (v.c. **45**) 240; *maritima* 157; *media* (v.c. **43**) 240, 478

Platanthera bifolia 373; *chlorantha* 338, (v.c. **51**) 579

Platanus × *hispanica* (v.c. **35**, **43**) 228; *occidentalis* × *orientalis* (v.c. **35**, **43**) 228

Platycladus orientalis (v.c. **29**) 541

Pleurozia purpurea 48, 50

Pleurozium schreberi 516

Poa alpina 136, (map) 138; *angustifolia* (v.c. **50**, **113(A)**) 574; *annua* 85, 452, (Poaceae) is a cryptic weed. A new, purple-leaved form of, 525-526, 574, **f. purpurea M.L. Grant, f. nov.** 525, 526, var. *annua* 526, var. *aquatica* 525, var. *parviflora* 526, var. *reptans* 525; *bulbosa* 87; *chaixii* (v.c. **73**) 247, (v.c. **93**) 574; *compressa* (v.c. **73**) 247, 458, (v.c. **41**) 574; *flexuosa* 137; *glauca* 136, 137, 142; *humilis* 157, 458; *imbecilla* (v.c. **83**) 574; *infirma* (v.c. **13**) 247, 482, (v.

c. **29**) 574; *pratensis* 135, 136, 163, 165, 458, 478, 530, subsp. *alpigena* 136; *trivialis* 85, 416, 420, 477, 478

Polygala calcarea 86; *serpyllifolia* 48, 50, 135; *vulgaris* 420, subsp. *collina* (v.c. **43**) 238, 364, 374, subsp. *vulgaris* 364

Polygonatum × *hybridum* (v.c. **41**) 577; *multiflorum* (v.c. **81**) 249, 373, (v.c. **113 (A)**) 577; *multiflorum* × *odoratum* (v.c. **41**) 577; *odoratum* (v.c. **81**) 249

Polygonum 10; *aviculare* 168, 230, subsp. *neglectum* (v.c. **44**) 545; *cognatum* (v.c. **39**) 545; *maritimum* (v.c. **13**) 230, (v.c. **13**) 545; *oxyspermum* 230, subsp. *raii* (v.c. **44**) 230; *polystachium* 110; *rurivagum* (v.c. **67**, **68**) 230, (v.c. **44**) 545

Polypodium 148, 461; *cambricum* 88, (v.c. **50**) 540; *interjectum* × *cambricum* (v.c. **46**) 540; × *mantoniae* (v.c. **39**, **64**) 540; × *shivasiae* (v.c. **46**) 540; *vulgare* × *interjectum* (v.c. **39**, **64**) 540

Polypogon maritimus (v.c. **29**) 575; *monspeliensis* (v.c. **64**, **68**) 247; *viridis* (v.c. **113(A)**) 574

Polystichum × *bicknellii* (v.c. **50**) 540; × *lesliei* (v.c. **2**) 540; *munitum* (v.c. **2**) 540; *setiferum* × *aculeatum* (v.c. **50**) 540; *setiferum* × *munitum* (v.c. **2**) 540;

Polytrichum commune 48

Pontederia cordata (v.c. **58**) 249

Poore, A. - Rev. of *Moccas: an English deer park* (ed by P.T. Harding & T. Wall) 251-252

Populus × *canadensis* (v.c. **43**) 231; *nigra* 296, 301, subsp. *betulifolia* (v.c. **45**) 547; *nigra* × *deltoides* (v.c. **43**) 231; *trichocarpa* (v.c. **44**) 547

Portulaca oleracea (v.c. **113(A)**) 544

Potamogeton 114, 203, 489; *acutifolius* 373; *alpinus* (v.c. **13**) 245, 367, 374; × *angustifolius* (v.c. **41**) 245; *berchtoldii* 459; *compressus* (v.c. **39**) 571; × *fluitans* (v.c. **29**) 570; *friesii* 373; × *gessnacensis* (v.c. **43**) 570; *gramineus* 373; *gramineus* × *perfoliatus* (v.c. **41**) 245; *lucens* (v.c. **H6**) 570; *lucens* × *gramineus* (v.c. **41**) 245, (v.c. **29**) 571; *lucens* × *perfoliatus* (v.c. **13**) 245; *natans* × *gramineus* (v.c. **45**) 245; *natans* × *lucens* (v.c. **29**) 570; *natans* × *polygonifolius* (v.c. **34**) 570; × *nitens* (v.c. **41**) 245; *obtusifolius* (v.c. **81**) 245, 373, 374, (v.c. **64**) 571; *pectinatus* 570; *polygonifolius* 52, 297; *pusillus* (v.c. **58**) 245; × *salicifolius* (v.c. **13**) 245; × *sparganiifolius* (v.c. **45**) 245; *trichoides* 373, (v.c. **39**) 571; × *zizii* (v.c. **29**) 571

Potentilla 142; *anglica* 157; *anglica* × *reptans* (v.c. **43**) 234, (v.c. **49**) 551; *anserina* 157, 163, 165; *argentea* (v.c. **77**) 234, 367; *crantzii* 136, (map) 138; *erecta* 48, 111, subsp. *erecta* 157, subsp. *strictissima* (v.c. **43**) 234; *erecta* × *anglica* (v.c. **5**, **49**) 551; *erecta* × *reptans* (v.c. **43**) 234, (v.c. **49**) 551; *fruticosa* 135, (v.c. **43**) 234, (v.c. **29**, **113(A)**) 551; × *mixta* (v.c. **43**) 234, (v.c. **49**) 551; *palustris* 297, 315, 373; *pusillus* 135; *recta* (v.c. **64**) 551; *reptans* 157, 479; *stipularis* 143, (map) 143; × *suberecta* (v.c. **5**, **49**) 551

Presidential Address, 2001 - The British Flora in the Arctic (by G. Halliday) 133-144

Preston, C.D. - Perceptions of change in English county Floras, 1660-1960 287-304

Preston, C.D. - Rev. of *Darwin's mentor: John Stevens Henslow (1796 -1861)* (by S.M. Walters & E.A. Stow) 252-253

Preston, C.D. - Rev. of *The Broads: the people's wetland* (by B. Moss) 581-582

Preston, C.D. & Walker K.J. - Creeping inflation in the length of English county Floras 447-449

Preston, C.D., Pearman, D.A. & Dines, T.D. (eds) - *New atlas of the British and Irish Flora* (Bk Rev.) 583-584

Preston, C.D. *et al.* - *The changing flora of the UK* (Bk Rev.) 583-584

Primula 450; *farinosa* 139, revisited. Ploidy of, 450-452, (illus.) 451, 461, f. *warei* 450; *japonica* (v.c. **43**) 548; *scotica* 139, 588; *sikkimensis* (v.c. **49**) 232; *stricta* 139; *veris* 255, 298, 420; *vulgaris* 157, 297

Prunella vulgaris 157, 477, 479

Prunus avium (v.c. **113(A)**) 553; *cerasifera* (v.c. **113(A)**, **113(S)**) 553; *cerasus* 360, 364, 374, (v.c. **113(A)**) 553; *domestica* 91, subsp. *institita* (v.c. **43**) 236, (v.c. **43**) 553; *laurocerasus* (v.c. **81**) 236; *serotina* (v.c. **13**, **46**, **52**) 236, (v.c. **29**, **77**) 553; *spinosa* 91, 530, 554

Pryor, K.V., with T.C.G. Rich - *Galeopsis segetum* Neck. (Lamiaceae), Downy Hemp-nettle: native or introduced in Britain? 401-411

× *Pseudadenia schweinfurthii* (v.c. **96**) 579

Pseudescleropodium purum 479

Pseudofumaria alba (v.c. **29**) 542; *lutea* 542, (v. c. **113(A)**) 542

Pseudorchis albida (v.c. **93**) 579; *albida* × *Gymnadenia conopsea* (v.c. **96**) 579

Pseudosasa japonica (v.c. **49**) 246

Pseudotaxiphyllum elegans 516

Pteridium aquilinum 152, 157, 416, 530
Puccinellia 135; *distans* (v.c. **96**) 247, (v.c. **42**) 573, subsp. *distans* (v.c. **91**) 573, 574; *maritima* 139; *phryganodes* 139
Pulicaria dysenterica 111, 157; *vulgaris* 208, 297, 311, 312
Pulsatilla 256; *vulgaris* 257
Pyracantha 92
Pyrola minor (map) 138, (v.c. **41**) 232, (v.c. **39**) 548; *rotundifolia* (v.c. **107**) 232, subsp. *rotundifolia* (v.c. **39**) 548
Pyrus communis 91, (v.c. **113(S)**) 553; *pyraster* (v.c. **113(A)**, **113(S)**) 553
Pythium 453

Quercus 586; *ilex* (v.c. **113(A)**) 543; *petraea* 91, (v.c. **113(A)**) 543; *petraea* × *robur* (v.c. **79**) 543; *robur* 91; × *rosacea* (v.c. **79**) 543

Racomitrium lanuginosum 48, 49
Radiola linoides 315, (v.c. **44**) 558
Randall, R.D., with A. Newton - A Devon and Somerset Bramble (Rosaceae: *Rubus* L. subgen. *Rubus*) revived 443-446
Ranunculus 135, 256; *acris* 111, 157, 420, 476, 478; *aquatilis* var. *diffusus* 256; *arvensis* 299, 312, 404; *auricomus* agg. 256; *baudotii* (v.c. **113(S)**) 541; *bulbosus* 84, 344, 478; *circinatus* (v.c. **43**, **51**) 228, 297; *confervoides* 256; *ficaria* subsp. *bulbilifer* (v.c. **12**) 228, subsp. *chrysocephalus* (v.c. **29**) 541; *flammula* 48, 50, 111; *glacialis* 142; × *novae-forestae* (v.c. **45**) 228, (v.c. **46**, **52**) 541; *omiophyllus* × *tripartitus* (v.c. **45**) 228, (v.c. **46**, **52**) 541; *parviflorus* 83, 84, 87; *repens* 111, 163, 477, 478; *sardous* (v.c. **12**) 228, (v.c. **39**, **64**) 541; *trichophyllus* 256, subsp. *eradicatus* 256, subsp. *trichophyllus* 256; *tripartitus* (v.c. **49**) 228, (v.c. **46**, **49**) 541
Raphanus sativus (v.c. **43**, **51**) 232
Rasmussen, K.K. & Lawesson, J.E. - *Lycopodiella inundata* in British plant communities and reasons for its decline 45-55
Raven, F. *et al.* (eds), with J.E. Raven - *Plants and plant lore in ancient Greece* (Bk Rev.) 118-119
Raven, J.E., with F. Raven *et al.* (eds) - *Plants and plant lore in ancient Greece* (Bk Rev.) 118-119
Rayner, T.G.J., with E.A Dauncey & D.A. Shah-Smith (eds) - *Poisonous plants and fungi in Britain and Ireland (Interactive identification system on CD-ROM* (Rev.) 456-457
Reilly, P.A. - *The Flora of County Cavan* (Bk Rev.) 457
Reports 131-132, 467-468
Rhamnus cathartica 297
Rhinanthus minor 87, (map) 138, 157, 312, 474, subsp. *minor* (v.c. **43**) 241
Rhind, P. & Evans, D. (eds) - *The plant life of Snowdonia* (Bk Rev.) 455
Rhododendron 255
Rhus typhina (v.c. **46**) 238, (v.c. **42**, **58**, **113(S)**) 558
Rhynchospora alba 48, 50, 297; *fusca* 48, 50, 315
Rhytidiadelphus loreus 516; *squarrosus* 163, 530
Ribes odoratum (v.c. **46**) 549; *rubrum* (v.c. **110**) 233; *uva-crispa* 324
Riccia cavernosa 163, 165
Rich, T.C.G. - Conservation of Britain's biodiversity: *Hieracium asteridiophyllum* and *H. cillense* (Asteraceae) 101-106
Rich, T.C.G. - Rev. of *Biological collections and biodiversity* (ed by B.S. Rushton, P. Hackney & C.R. Tyrie) 253-254
Rich, T.C.G. & Fitzgerald, R. - Life cycle, ecology and distribution of *Schoenoplectus triqueter* (L.) Palla (Cyperaceae) Triangular Club-rush, in Britain and Ireland 57-67
Rich, T.C.G. & Hand, S.O. - Conservation of Britain's biodiversity: *Hieracium snowdoniense* (Asteraceae), Snowdonia Hawkweed 513-518
Rich, T.C.G. & Lockton, A.J. - *Bromus interruptus* (Hack.) Druce (Poaceae) - an extinct English endemic 69-80
Rich, T.C.G. & Pryor, K.V. - *Galeopsis segetum* Neck. (Lamiaceae), Downy Hemp-nettle: native or introduced in Britain? 401-411
Rich, T.C.G. *et. al.* - Distribution and population sizes of *Asparagus prostratus* Dumort., Wild Asparagus, in Britain 183-192
Rich, T.C.G., with A.B. Karran - Geographical and temporal distributions of *Alyssum alyssoides* and *Berteroa incana* (Brassicaceae) in the British Isles and the relationship to their modes of introduction 499-506
Rich, T.C.G., with M.F. Fay & A. O'Rourke - A preliminary investigation of genetic variation in Western European *Carex depauperata* Curtis ex With. (Cyperaceae), Starved Wood-sedge 507-511
Richards, A.J., with G. Halliday - Obit. of Andrew A. Dudman (1930-2001) 268

Riddington, R., with W. Scott, P. Harvey & M. Fisher - *Rare plants of Shetland* (Bk Rev.) 585

Robinia pseudoacacia (v.c. **51**) 236

Robson, N.K.B. - Obit. of William Thomas Stearn (1911-2001) 123-124

Rodgersia sambucifolia (v.c. **77**) 233

Romeria 256

Rorippa islandica (v.c. **5**) 547; *nasturtium-aquaticum* × *microphylla* (v.c. **47**) 231; *palustris* subsp. *hispida* 167; × *sterilis* (v.c. **47**) 231, 458; *sylvestris* 60

Rosa 8-10, 92, 128, 267, 364, 368, 552; *agrestis* (v.c. **44**, **50**) 53; × *alba* (v.c. **113(A)**) 552; × *andegavensis* (v.c. **13**, **68**) 235; *arvensis* 91, 235, (v.c. **95**) 552; *arvensis* × *canina* (v.c. **39**) 235, (v.c. **39**, **50**) 552; *arvensis* × *stylosa* (v.c. **11**) 235; × *bigeneris* (v.c. **46**) 553; × *bishopii* (v.c. **50**) 553; *caesia* subsp. *caesia* (v.c. **44**) 552, subsp. *vosagiaca* (v.c. **78**) 235; *caesia* × *mollis* (v.c. **39**) 552; *caesia* × *sherardii* (v.c. **78**) 235, (v.c. **39**) 552; *caesia* subsp. *vosagiaca* × *obtusifolia* (v.c. **39**) 552; *caesia* subsp. *vosagiaca* × *tomentosa* (v.c. **39**) 552; *canina* s.s. 91; *canina* agg. 157; *canina* × *caesia* subsp. *caesia* (v.c. **78**) 235; *canina* × *caesia* subsp. *vosagiaca* (v.c. **44**, **77**) 552; *canina* × *micrantha* (v.c. **46**) 552; *canina* × *mollis* (v. c. **39**, **78**) 235, (v.c. **39**) 552; *canina* × *obtusifolia* (v.c. **46**) 552; *canina* × *rubiginosa* (v.c. **11**) 235, (v.c. **29**, **50**, **67**) 552; *canina* × *sherardii* (v.c. **77**) 235; *canina* × *tomentosa* (v.c. **39**, **44**) 552; × cottetii (v.c. **39**) 552; × *dumalis* (v.c. **78**) 235, (v.c. **44**, **77**) 552; × *dumetorum* (v.c. **46**) 552; *gallica* (v.c. **46**) 235; *gallica* × *arvensis* and/or *canina* (v.c. **113(A)**) 552; × *glaucoides* (v.c. **39**) 552; 'Hollandica' (v.c. **H6**) 552; × *involuta* (v.c. **49**) 552; × *irregularis* (v.c. **39**) 235, (v.c. **39**, **50**) 552; *micrantha* (v.c. **50**) 553; *micrantha* × *agrestis* (v.c. **50**) 553; × *molletorum* (v.c. **39**, **78**) 235, (v.c. **39**) 552; × *molliformis* (v. c. **77**) 553; *mollis* (v.c. **78**) 236; *mollis* × *rubiginosa* (v.c. **77**) 553; *multiflora* (v.c. **51**) 235, (v.c. **29**) 552; × *nitidula* (v.c. **11**) 235, (v.c. **29**, **50**, **67**) 552; *obtusifolia* 368, 373, 374, (v.c. **58**) 552; *pimpinellifolia* 157, (v.c. **78**) 235; *pimpinellifolia* × *sherardii* (v. c. **49**) 552; × *pseudorusticana* (v.c. **11**) 235; × *rothschildii* (v.c. **77**) 235; *rubiginosa* 368, 373, 374, (v.c. **107**) 236; *rubiginosa* × *micrantha* (v.c. **46**) 553; *rugosa* 'Alba' (v.c. **113(S)**) 552; × *scabriuscula* (v.c. **39**, **44**) 552; *sherardii* (v. c. **78**) 236; *stylosa* 373, 374, (v.c. **46**) 552; *stylosa* × *canina* (v.c. **13**, **68**) 235; × *toddiae* (v.c. **46**) 552; *virginiana* (v.c. **46**) 235

Rose, F. - Rev. of *Grazing ecology and forest history* (by F.W.M. Vera) 119-120

Rothero, G.P. - *Flora of Assynt: Bryophytes* (Bk Rev.) 458-459

Rubia peregrina 88

Rubus 4, 8, 9, 10, A new bramble of Northumbria and the Scottish borders 107-109, 117, (Rosaceae) in north-west France. A third list of British species of, 220-222, (Rosaceae). Nomenclatural complexities in publications of Sudre and Bouvet on, 222-224, 337, 353, 368, ser. *Anisacanthi* 444, ser. *Mucronati* 444, ser. *Radulae* 443, ser. *Sylvatici* 108, subgen. *Rubus*) revived. A Devon and Somerset Bramble (Rosaceae: 443-446, 465, 583; *acclivitatum* (v.c. **12**) 550; *acutifrons* 446; *adamsii* 221; *adenoleucus* (v.c. **11**, **42**) 551; *adenolobus* 221; *adscitus* 220; *aequalidens* 220; *angloserpens* (v.c. **64**) 234; *angusticuspis* (v.c. **46**) 550; *anisacanthos* 444; *ariconiensis* (v.c. **12**) 234, (v.c. **46**) 551; *arrheniiformis* 465; *asperidens* 221, 223; **avaloniensis Newton & R.D.Randall, sp. nov.** 444, (map) 445; *babingtonianus* W.C. R. Watson in East Anglia. Range extensions for *R. rhombifolius* Weihe ex Boenn. and, 224-225; *bercheriensis* 221, (v.c. **36**) 551; *bloxamii* (v.c. **13**) 234; *boraeanus* 465, (v.c. **29**) 550; *boudiccae* (v. c. **14**) 550; *britannicus* (v.c. **13**) 234; *caesius* × *idaeus* (v.c. **29**) 549; *calvatus* (v. c. **64**) 549; *cambrensis* (v.c. **42**) 550; *chamaemorus* 348; *cinerosus* (v.c. **11**) 550; *cissburiensis* (v.c. **10**) 234, (v.c. **29**) 550; *cumbrensis* (v.c. **64**) 550; *curvispinosus* (v. c. **12**) 550; *drejeri* 108, 443-446; *dunensis* 444; *eboracensis* (v.c. **29**) 551; *echatinoides* (v.c. **11**) 234, (v.c. **42**) 550; *echinatus* (v.c. **29**) 550; *flexuosus* (v.c. **47**) 550; *foliosus* 446; *fruticosus* 85, 152, 154, 157, 416, 417, 420, 420, 479; *fuscoviridis* 221; *griffithianus* (v.c. **35**, **64**) 550; *hastiformis* 221; *hibernicus* 444, (v.c. **46**) 550; *horridicaulis* 444; *hylophilus* 220; *incurvatiformis* (v.c. **64**) 550; *koehleri* 223; *laciniatus* 594; *largificus* (v.c. **46**) 234; *leucostachys* 108; *leyanus* 443, 444; *longithyrsiger* 221; *longus* 220; *malvernicus* (v.c. **46**) 234; *melanodermis* 221, (v.c. **46**) 234, (v.c. **17**) 550; *milesii* 223; *mucronatiformis* (v.c. **46**) 234; *mucronatoides* (v.c. **46**) 234; *mucronatus* 108; **newtonii Ballantyne, sp. nov.** 107, 108, (map) 109; *nitidus* subsp. *opacus* f.

minor 223, var. *subopacus* 223; *ochrodermis* 443, 444, 446; *orbus* (v.c. **10**) 234; *pallidus* var. *crispulifolius* 221; *pannosus* (v.c. **12**) 551; *peninsulae* 221; *phaeocarpus* (v.c. **21**) 234, (v.c. **64**) 551; *pictorum* (v.c. **10**, **46**) 551; *pistoris* (v.c. **12**, **64**) 550; *platyacanthus* (v.c. **64**) 550; *porphyrocaulis* (v.c. **12**) 550; × *pseudoidaeus* (v.c. **29**) 549; *purbeckensis* (v.c. **H8**) 551; *raduloides* 221, (v.c. **46**) 234; *ramosus* 220; *rhombifolius* Weihe ex Boenn. and *R. babingtonianus* W.C.R. Watson in East Anglia. Range extensions for, 224-225, (v.c. **46**) 234; *riparius* 220; *rossensis* (v.c. **46**) 550; *rotundifolius* 444, 446; *rufescens* (v.c. **46**) 550; *saxatilis* (v.c. **39**) 549; *scaber* 443, 445, (v.c. **46**) 551; *scabripes* 221, (v.c. **12**) 551; *scissus* (v.c. **47**) 549; *septentrionalis* (v.c. **64**) 234; *silurum* (v.c. **64**) 550; *spectabilis* (v.c. **81**) 234, (v.c. **80**) 549; *subintegribasis* 223; **subopacus (Sudre & Bouvet) D.E.Allen, stat. nov.** 223; *subtercanens* (v.c. **64**) 550; *surrejanus* (v.c. **33**) 550; *tamarensis* 221, 444, 446; *tardus* (v.c. **11**) 551; *trichodes* 221; *tricolor* (v.c. **51**, **77**) 234; *troiensis* 443; *venetorum* (v.c. **41**) 234; *vigursii* 221; *warrenii* (v.c. **13**) 551; *wirralensis* 444

Rudbeckia hirta (v.c. **29**) 570

Rumex 210; spp. (key) 210; × *abortivus* (v.c. **45**, **80**) 230; *acetosa* 84, 477, 478, 530; *acetosella* 135, 136, 139, 530, subsp. *pyrenaicus* (v.c. **44**) 545; *akeroydii* 210; *aquaticus* 121; *conglomeratus* 210; *conglomeratus* × *obtusifolius* (v.c. **45**, **80**) 230; *conglomeratus* × *pulcher* (v.c. **29**) 545; *crispus* 163, 209, 210, subsp. *littoreus* 157, (v.c. **107**) 230, subsp. *uliginosus* 60; *crispus* × *conglomeratus* (v.c. **45**) 230; *crispus* × *obtusifolius* (v.c. **45**, **47**) 230; *crispus* × *sanguineus* (v.c. **29**) 545; *cristatus* 209, 210, (illus.) 211, 212, (v.c. **29**) 545; *cristatus* × *crispus* 210; × *dufftii* (v.c. **80**) 230, (v.c. **68**) 545; *graminifolius* 139; × *hybridus* (v.c. **107**) 230, (v.c. **80**) 545; *hydrolapathum* (v.c. **80**) 230; *hydrolapathum* × *obtusifolius* (v.c. **5**, **64**) 545; × *lingulatus* (v.c. **5**, **64**) 545; *longifolius* × *obtusifolius* (v.c. **107**) 230, (v. c. **80**) 545; *maritimus* 210, (v.c. **46**) 546; × *muretii* (v.c. **29**) 545; *obtusifolius* 209, 210, 416; *palustris* 209, 210; *patientia* 209, 210, (illus.) 211, 212, subsp. *orientalis* 210, 212, subsp. *patientia* 210, 212; × *pratensis* (v.c. **45**, **47**) 230; *pseudoalpinus* (v.c. **107**) 230; *pulcher* (v.c. **51**) 230, 545; *rupestris* (v.c. **45**) 546; × *sagorskii* (v.c. **29**) 545; *sanguineus* × *obtusifolius* (v.c. **80**) 230, (v.c. **68**) 545; × *schulzei* (v.c. **45**) 230; *tenuifolius* 139; × *xenogenus* Rech. fil. (Polygonaceae), the hybrid between Greek and Patience Docks, found in Britain 209-213, (illus.) 211

Ruppia 489

Rushton, B.S., Hackney, P. & Tyrie, C.R. (eds) - *Biological collections and biodiversity* (Bk Rev.) 253-254

Sagina 215; *alpina* 216; *apetala* 215, subsp. *apetala* (v.c. **67**) 229, subsp. *erecta* 255; *caespitosa* 216; *filicaulis* 255; *maritima* Don. The enigma of montane, 215-217, (v. c. **80**) 229, var. *alpina* 215, 216; *micropetala* 255; *nivalis* 136, 137, 216; *nodosa* 215, 256, 297, (v.c. **29**, **47**) 544; × *normaniana* 216; *procumbens* 137, 157, 163, 583; *saginoides* 136, 137, 215, 216; *stricta* 215; *subulata* 364, 374

Sagittaria sagittifolia 457, 570

Salicornia europaea 255; *fragilis* (v.c. **52**) 229; *ramosissima* 255

Salix 232, 256, 548, 549; *acutifolia* (v.c. **80**) 547; *alba* 297, (v.c. **113(A)**) 547; × *angusensis* (v.c. **58**) 547; *arbuscula* 137; *aurita* × *phylicifolia* (v.c. **96**) 547; *babylonica* (v.c. **113(A)**) 547; *caprea* × *cinerea* (v.c. **107**) 231, (v.c. **93**) 547; *caprea* × *phylicifolia* (v.c. **77**) 231; *cinerea* 227, subsp. *cinerea* (v.c. **64**) 547, subsp. *oleifolia* 154, 157; cf *cinerea* 48; *daphnoides* (v.c. **95**) 547; *fragilis* × *alba* (v. c. **93**) 547; *herbacea* 136, 137, (map) 138, 142; *lanata* 137; *lapponum* 137; × *ludificans* (v.c. **96**) 547; × *mollissima* (v.c. **49**) 547; *myrsinifolia* 586; *myrsinites* 137; *pentandra* 344; *phylicifolia* 137; × *pontederiana* (v.c. **46**) 547; *purpurea* 559; *purpurea* × *cinerea* subsp. *oleifolia* (v.c. **46**) 547; *purpurea* × *viminalis* (v.c. **50**) 231; *repens* 48, 157, (v.c. **10**) 231; × *reichardtii* (v.c. **107**) 231, (v.c. **93**) 547; *reticulata* 136, 137; × *rubens* (v.c. **93**) 547; × *rubra* (v.c. **50**) 231; × *sericans* (v.c. **S**, **107**) 231; × *smithiana* (v.c. **45**) 231; *triandra* (v.c. **79**) 231, (v.c. **79**) 547; *triandra* × *viminalis* (v.c. **49**) 547; *viminalis* × *caprea* (v.c. **S**, **107**) 231; *viminalis* × *cinerea* (v.c. **45**) 231; *viminalis* × *cinerea* × *repens* (v.c. **58**) 547

Salsola kali subsp. *iberica* 255, subsp. *ruthenica* 255, (v.c. **29**) 544; *tragus* 255

Salvia officinalis (v.c. **29**, **58**) 562; *pratensis* 373; *verbenaca* 83, 84, 86, (v.c. **19**) 240

Sambucus ebulus (v.c. **50**) 565

Sanford, M.N. - Obit. of Enid Mary Hyde (1925-2002) 593-594

Sanford, M.N. - Rev. of *Flora - an illustrated history of the garden flower* (by B. Elliott) 254-255

Sanguisorba minor 83, 84, 86, 420, 478, subsp. *minor* 157, (v.c. **46**, **81**) 235, subsp. *muricata* 78; *officinalis* 475

Sanicula europaea 157

Saponaria officinalis (v.c. **110**) 544

Sasa 258; *palmata* (v.c. **49**, **50**, **58**, **81**) 246, (v. c. **50**) 573

Sasaella ramosa (v.c. **41**, **58**) 246

Saussurea alpina 137

Saxifraga aizoides 136, (map) 138; *aizoides* × *oppositifolia* 139; *cernua* 136, 137, 142; *cespitosa* 136, 137, 142; *cuneifolia* subsp. *cuneifolia* (v.c. **77**) 233; *cymbalaria* (v.c. **46**) 233; *foliolosa* 139; *hirculus* 136, (map) 138, 141, 143; *hyperborea* 139; *hypnoides* 457, 516, (v.c. **91**) 549; *nathorstii* 139; *nivalis* 136, 137, 139; *oppositifolia* 136, 137, 141, 142; *rivularis* 136, 139; *stellaris* 136, 139; *tenuis* 139; *tricuspidata* 144; *tridactylites* 85; *umbrosa* (v.c. **51**) 23

Scabiosa columbaria 420

Scandix pecten-veneris (v.c. **29**) 560

Schizostylis coccinea (v.c. **46**) 579

Schoenoplectus 433, 508; *americanus* 57; × *carinatus* 57, 58, 60, 64, 433, 436; × *kuekenthalianus* 57, 63, 433, 437, 440; *lacustris* 57, 433-438; *pungens* 57, 60, 433; *tabernaemontani* 57, 60, 63, 64, 297, and *S. triqueter* (Cyperaceae) in the British Isles. Hybridisation between, 433-442; *triqueter* (L.) Palla (Cyperaceae) Triangular Club-rush, in Britain and Ireland. Life cycle, ecology and distribution of, 57-67, (Cyperaceae) in the British Isles. Hybridisation between *S. tabernaemontani* and, 433-442, 510

Schoenus nigricans 295

Scilla autumnalis 117; *bithynica* (v.c. **77**) 249

Scirpus 58, 433; *atrovirens* (v.c. **77**) 246; *sylvaticus* (v.c. **91**) 572; *triqueter* 57, (map) 59, (map) 61

Scleranthus annuus 364, subsp. *polycarpos* 364; *perennis* 374, subsp. *perennis* 364, subsp. *prostratus* 364

Scleropodium purum 516, 530; *tourettii* 88

Scorpiurum circinatum 84, 88

Scorzonera humilis 278, (v.c. **41**) 243

Scott, W., Harvey, P., Riddington, R. & Fisher, M. - *Rare plants of Shetland* (Bk Rev.) 585

Scrophularia scorodonia (v.c. **37**) 241, 560; *umbrosa* (v.c. **79**) 241, (v.c. **41**) 564; *vernalis* (v.c. **64**) 564

Scutellaria minor 404

Securigera varia (v.c. **39**, **50**) 555

Sedum acre 83-85, 137, (map) 138; *album* 83, 84, 493; *anglicum* (v.c. **77**) 549; *cepaea* (v. c. **41**) 233; *confusum* (v.c. **2**, **60**) 549; *hispanicum* (v.c. **64**) 233, (v.c. **29**) 549; *rosea* 136, (map) 138, 516; *rupestre* (v.c. **81**) 233; *sexangulare* (v.c. **46**) 233, (v.c. **64**) 549; *spectabile* (v.c. **41**, **113(A)**) 549; *stoloniferum* (v.c. **46**) 233; *telephium* 285, 594, subsp. *fabaria* (v.c. **43**) 233; *villosum* 136, 137, (map) 138

Selaginella kraussiana (v.c. **77**) 227, (v.c. **113 (A)**) 539; *selaginoides* 137

Sempervivum tectorum (v.c. **51**) 233

Senecio 32, 375, 583, spp (key) 380, (key) 382, sect. *Senecio* 17, 32; *advena* 383, 384, (illus.) 384, 387; *aethnensis* 17, 18, (map) 19, 20-28, 32-36, 38-39; *aethnensis* × *chrysanthemifolius* 18, (map) 19, 20-23, 25-28; × *albescens* (v.c. **39**) 570; *aquaticus* 111, 586; × *baxteri* (v.c. **46**) 244, 375, 380, 381, 383, 387, 388; *cambrensis* 32, 375, (illus.) 379, 380, 381, 388; *chrysanthemifolius* 17, 18, (map) 19, 20-28, 32-39; *cineraria* × *jacobaea* (v.c. **39**) 570; *crassifolius* 387; *delphinifolius* 38; **eboracensis R.J.Abbott & A.J.Lowe, sp. nov.** 377, (Asteraceae), another hybrid derivative of *S. vulgaris* L. and *S. squalidus* L. A new British species, 375-388, (illus.) 376, (illus.) 378, (illus.) 379; *erucifolius* 457; *fluviatilis* (v.c. **96**) 244, (v.c. **96**) 570; *gallicus* 38; × *helwingii* 381; *hibernica* 387; *inaequidens* (v.c. **13**, **96**) 244, (v.c. **13**, **49**) 570; *incisus* 32, 33, 37; *jacobaea* 84, 157, 163, 570; *jacobaea* × *aquaticus* (v.c. **45**) 244, (v.c. **39**) 570; × *ostenfeldii* (v.c. **45**) 244, (v.c. **39**) 570; *rupestris* Waldst. & Kit. Hybrid origin of the Oxford Ragwort, *S. squalidus* L.: morphological and allozyme differences between *S. squalidus* and, 17-29, (map) 19, 32; *siculus* 32; *squalidus* L.: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. & Kit. Hybrid origin of the Oxford Ragwort, 17-29, (map) 19, (Asteraceae), to the United Kingdom. Introduction of Oxford Ragwort, 31-43, 351, A new British species, *S. eboracensis* (Asteraceae), another hybrid derivative of *S. vulgaris* L. and, 375-388, (illus.) 379, 452, f. *grandiflorus* 33, f./var. *subinteger* 33, subsp. *araneosus* 33, subsp. *aurasiacus*

33, subsp. *squalidus* 33, var. *leiocarpus* 33; *squalidus* × *vulgaris* (v.c. **46**) 244, 381, 383, (illus.) 384, 387, 388; *subnebrodensis* 32; *sylvaticus* 381; *vernalis* 381, 387; *viscosus* 32, 381, 402; *vulgaris* 284, and *S. squalidus* L. A new British species, *S. eboracensis* (Asteraceae), another hybrid derivative of, 375-388, (illus.) 379, subsp. *denticulatus* 380, 381, subsp. *vulgaris* 32, var. *hibernicus* 32, 375-377, 379, (illus.) 379, 380, 382, 383, 387, 388, var. *radiatus* 387; var. *vulgaris* 375, 377, 379, (illus.) 379, 380; *vulgaris* × *vernalis* 381

Sequoiadendron giganteum 458

Seriphidium maritimum (v.c. **49**) 569

Setaria adhaerens (v.c. **41**) 248; *parviflora* (v.c. **29**) 576; *pumila* (v.c. **12**) 248, (v.c. **99**, **113 (A)**) 576; *viridis* (v.c. **S**) 248, (v.c. **45**, **48**, **113(A)**) 576

Shah-Smith, D.A., with E.A Dauncey & T.G.J. Rayner (eds) - *Poisonous plants and fungi in Britain and Ireland (Interactive identification system on CD-ROM* (Rev.) 456-457

Sherardia arvensis 85, 87

Sibbaldia procumbens 136, (map) 138

Sibthorpia europaea (v.c. **39**, **42**) 564

Sidalcea malviflora (v.c. **107**) 231

Silaum silaus 474

Silene 255, 256, 489; *acaulis* 136, 137, 141, 142; *armeria* (v.c. **113(A)**) 544; *dioica* 157, 529, 530; *gallica* 373, 374, (v.c. **50**) 544; *latifolia* 584; *muscipula* (v.c. **46**) 544; *nutans* (v.c. **44**) 229; *vulgaris* (v.c. **91**) 544, subsp. *vulgaris* 114

Silphium perfoliatum 258

Simpson, D.A., with M.F. Fay & R.S. Cowan - Hybridisation between *Schoenoplectus tabernaemontani* and *S. triqueter* (Cyperaceae) in the British Isles 433-442

Sinapis alba subsp. *alba* (v.c. **44**) 548; *arvensis* 457

Sison amomum (v.c. **43**) 239, 312, (v.c. **44**) 560

Sisyrinchium bermudiana 457; *californicum* (v. c. **99**) 578; *striatum* (v.c. **4**, **H6**) 578

Smith, Joyce (1920-2002) (Obit.) 588-589

Smith, P.M., Dixon, R.O.D. & Cochraine, P.M. (eds) - *Plant life of Edinburgh and the Lothians* (Bk Rev.) 585-586

Smith, R.E.N. - The re-appearance of *Lobelia urens* L. from soil seed bank at a site in South Devon 110-112

Smyrnium olusatrum 85

Société Francaise d'Orchidophile - *Les orchidées de France, Belgique et Luxembourg* (Bk Rev.) 455

Solanum dulcamara 452; *physalifolium* (v.c. **41**, **46**) 560; *rostratum* (v.c. **S**) 239, (v.c. **93**) 560; *tuberosum* (v.c. **47**, **107**) 239; *villosum* (v.c. **58**) 560

Soleirolia soleirolii (v.c. **42**, **51**) 229, (v.c. **93**) 543

Solidago gigantea subsp. *serotina* (v.c. **113(S)**) 569; *graminifolia* (v.c. **4**) 569; *lepida* (v.c. **46**) 244; *virgaurea* 141, 157, 373, 516

Sonchus arvensis 458; *asper* 111, subsp. *asper* 285, subsp. *glaucescens* 285; *oleraceus* 84, 157

Sorbus 92, 101, 102, 104, 117; *aria* 91-94, (illus.) 95, 96-98, 438, 440; *devoniensis* 92, (v.c. **5**) 553; *domestica* 93, 96, 296; *eminens* (v.c. **42**) 553; *latifolia* (Lam.) Pers. group (Rosaceae). Parentage of an unknown member of the, 91-100, 438; *leyana* 92; *rupicola* 91-94, (illus.) 95, 96-99; *rupicola* × *torminalis* 92; *subcuneata* 92; *torminalis* 91-94, (illus.) 95, 96-98, 295, 342, 438, 440; × *vagensis* 92-94, (illus.) 95, 96-98

Sorghum bicolor (v.c. **113(A)**) 577; *halapense* (v.c. **113(A)**) 576

Southbya nigrella 88

Spalton, L.M. - An analysis of the characters of *Bromus racemosus* L., *B. commutatus* Schrad. and *B. secalinus* L. (Poaceae) 193-202

Spalton, L.M. - Observations on *Bromopsis benekenii* (Lange) Holub in Britain 535-538

Sparaxis grandiflora (v.c. **113(S)**) 579

Sparganium erectum (v.c. **113(A)**) 577, subsp. *erectum* (v.c. **47**) 248, subsp. *microcarpum* (v.c. **77**) 248, subsp. *neglectum* (v.c. **77**) 248, subsp. *oocarpum* (v.c. **35**, **47**) 248; *natans* 297, 373

Spartina maritima × *alterniflora* (v.c. **46**) 576; × *townsendii* (v.c. **46**) 576

Spartium junceum (v.c. **44**, **113(A)**) 555

Spencer, M., with J.P. Bailey - New records for *Fallopia* × *connollyana*: is it truly such a rarity? 452-453

Spergula arvensis 255

Spergularia marina (v.c. **21**, **64**) 229; *rubra* (v. c. **H6**) 544

Sphagnum compactum 48, 49; *papillosum* 48; *tenellum* 48

Spiraea 117; *chamaedryfolia* (v.c. **95**) 549; × *pseudosalicifolia* (v.c. **107**) 233; × *rosalba* (v.c. **81**) 233; *salicifolia* (v.c. **12**) 233; *salicifolia* × *alba* (v.c. **81**) 233; *salicifolia* × *douglasii* (v.c. **107**) 233

Spiranthes romanzoffiana (v.c. **H3**) 250; *spiralis* 373, 374, 473

Spirodela polyrhiza (v.c. **44**) 245, 312, (v.c. **44**, **H6**) 571

Stace, C.A. - A new name in the British Flora: *Persicaria* × *fennica* (Reiersen) Stace 109-110

Stace, C.A. - Rev. of *Flora Nordica (Chenopodiaceae to Fumariaceae).* Vol. 2 (ed by B. Jonsell) 255-256

Stace, C.A., with J.A. Bryant & N.F. Stewart - A checklist of Characeae of the British Isles 203-208

Stace, C.A., with A.O. Chater - A new hybrid binomial in *Narcissus* L. 532-533

Stachys × *ambigua* (v.c. **43**) 240, (v.c. **45**) 562, 495; *annua* (v.c. **44**) 562; *byzantina* (v.c. **44**, **46**, **58**, **64**) 562; *germanica* 367, 373; *sylvatica* × *palustris* (v.c. **43**) 240, (v.c. **45**) 562

Stearn, William Thomas (1911-2001) (Obit.) 123-124

Stellaria 256; *neglecta* 373, 374; *pallida* 85-87

Stewart, N.F., with J.A. Bryant & C.A. Stace - A checklist of Characeae of the British Isles 203-208

Stow, E.A., with S.M. Walters - *Darwin's mentor: John Stevens Henslow (1796 - 1861)* (Bk Rev.) 252-253

Stratiotes aloides 374, 457, (v.c. **41**) 570

Suaeda vera (v.c. **52**) 229

Subularia aquatica 137, (map) 138

Succisa pratensis 48, 50, 420, 516, var. *maritima* 281

Symphoricarpos albus 323, (v.c. **44**) 565

Symphytum asperum (v.c. **77**) 561; *grandiflorum* (v.c. **35**, **46**, **51**) 240, (v.c. **39**, **43**, **79**) 561; *grandiflorum* × ?× *uplandicum* (v.c. **50**, **51**) 240; 'Hidcote Blue' (v.c. **50**, **51**) 240; *officinale* (v.c. **46**) 240; *orientale* (v.c. **41**) 562; *tuberosum* (v.c. **12**) 240

Tamus communis 157

Tanacetum parthenium 401

Tansley, A.G. 1-15

Taraxacum 84, 134, 157, 268, 337, 353, 465, 479, 583; *aberrans* (v.c. **35**) 243; *akteum* (v.c. **35**) 568; *ancistrolobum* (v.c. **113(A)**) 567; *boekmanii* (v.c. **113(A)**) 567; *bracteatum* (v.c. **113(A)**) 567; *chloriticum* (v.c. **35**) 567; *coartatum* (v.c. **35**) 243; *cordatum* (v.c. **113(A)**) 567; *cyanolepis* (v. c. **49**) 243; *degelii* (v.c. **35**) 243; *diastematicum* (v.c. **35**) 567; *dilatatum* (v.c. **110**) 567; *dunense* (v.c. **46**) 567; *ekmanii* (v.c. **113(A)**) 567; *expallidiforme* (v.c. **113 (A)**) 567; *fulvicarpum* (v.c. **35**) 243; *fulviforme* (v.c. **113(A)**) 567; *gelertii* (v.c. **49**) 243; *hamatum* (v.c. **49**) 243; *haworthianum* (v.c. **44**) 568; *incisum* (v.c. **35**) 567; *insigne* (v.c. **113(A)**) 567; *lamprophyllum* (v.c. **113(A)**) 567; *lancidens* (v.c. **35**) 243; *lepidum* (v.c. **110**) 568; *macrolobum* (v.c. **35**) 567; *maculatum* (v.c. **35**) 567; *officinale* 111; *polyodum* (v. c. **113(A)**) 567; *pseudohamatum* (v.c. **113 (A)**) 567; *semiglobosum* (v.c. **83**) 567; *spiculatum* (v.c. **35**) 243; *subexpallidum* (v. c. **44**) 568; *subhamatum* (v.c. **49**) 243; *tenebricans* (v.c. **35**) 568; *vastisectum* (v.c. **35**) 568

Taxodium distichum (v.c. **77**) 541

Taxus baccata 529; *baccata* 'brevifolia' 254

Taylor, I., with D.J. Gibson - Performance of *Festuca arundinacea* Schreb. (Poaceae) populations in England

Teesdalia nudicaulis 373

Tellima grandiflora (v.c. **35**, **41**, **46**) 233

Tephroseris integrifolia 373

Teucrium scordium 373; *scorodonia* 84, 530

Thalictrum alpinum 136, (map) 138, 141, 217; *minus* 228, (v.c. **113(A)**) 541; *speciosissimum* (v.c. **58**) 541

Thelypteris palustris (v.c. **2**) 227; 361, 373

Thlaspi arvense (v.c. **110**, **113(A)**) 548; *perfoliatum* 505

Thomson, P., with A. Brian - *The history and natural history of Lugg Meadow* (Bk Rev.) 581

Thuidium tamariscinum 516

Thymus polytrichus 83, 84, (map) 138, 312, 530; *praecox* 478; *pulegioides* 373, 374, (v.c. **49**) 562

Tilia cordata 327, 328, 348, 356; *platyphyllos* (v.c. **43**, **77**) 231

Tofieldia pusilla 136, (map) 138

Tolypella 207; *giennensis* 207; *glomerata* 207, var. *erythrocarpa* 207; *intricata* 207, f. *prolifera* 208; *nidifica* 207, var. *glomerata* 207, var. *nidifica* 207; *prolifera* 208

Torilis arvensis 312, 373, 374; *japonica* 157, (v. c. **113(A)**) 560; *nodosa* 84, 86

Tortella nitida 88; *tortuosa* 530; *marginata* 88; *viridifolia* 88

Trachystemon orientalis (v.c. **46**, **81**) 240
Tradescantia fluminensis (v.c. **41**) 571
Tragopogon pratensis subsp. *minor* (v.c. **107**) 243
Trichomanes speciosum 348; *speciosum* (gametophyte) (v.c. **42**) 540
Trichophorum cespitosum 48, 49, (map) 138, 322, nothosubsp. *foersteri* (v.c. **46**, **81**) 246, (v.c. **35**, **48**, **60**, **77**, **81**) 572, subsp. *cespitosum* (v.c. **81**, **83**) 572, subsp. *germanicum* 572, (v.c. **77**) 572, (v.c. **81**) 246; *cespitosum* subsp. *cespitosum* × *cespitosum* subsp. *germanicum* (v.c. **46**, **81**) 246, (v.c. **35**, **48**, **60**, **77**, **81**) 572
Trifolium arvense (v.c. **99**) 555; *dubium* 111, 157, 479; *fragiferum* (v.c. **39**) 555; *incarnatum* 504, subsp. *incarnatum* (v.c. **44**, **113(S)**) 555; *medium* 157; *micranthum* 297; *occidentale* (v.c. **2**, **49**) 555; *pratense* 111, 157, 476-478, 504; *repens* 111, 157, 417, 459, 476, 478, 504, 530; *scabrum* 84, 85, 87, 367, 374, 505; *stellatum* 187; *subterraneum* 85
Triglochin palustre (map) 138, 344; *palustris* 308
Trillium 593
Trisetum flavescens 420, 478, 482, 530, subsp. *purpurascens* (v.c. **29**) 574
Tristagama uniflorum (v.c. **29**, **113(A)**) 578
Triticum aestivum (v.c. **49**) 248, 401
Tritomaria quinquedentata 516
Trollius europaeus 457
Tropaeolum majus (v.c. **S**, **49**) 239
Tsuga hetrophylla (v.c. **77**) 227
Tuberaria guttata 258
Tulipa gesneriana (v.c. **113(A)**) 577; *sylvestris* (v.c. **91**) 577
Tussilago farfara 157
Typha angustifolia 60, (v.c. **68**) 249, (v.c. **44**, **113(A)**) 577; × *glauca* (v.c. **49**) 248; *latifolia* 577; *latifolia* × *angustifolia* (v.c. **49**) 248
Tyrie, C.R., with B.S. Rushton & P. Hackney (eds) - *Biological collections and biodiversity* (Bk Rev.) 253-254

Ugni molinae (v.c. **113(A)**) 556
Ulex 188; *europaeus* 152, 157; *europaeus* × *gallii* (v.c. **46**) 237; *gallii* (v.c. **81**) 237; *minor* 367, 374
Ulmus glabra × *minor* (v.c. **43**) 228; *glabra* × *minor* × *plotii* (v.c. **43**) 228, (v.c. **77**) 542; × *hollandica* (v.c. **43**) 228, (v.c. **77**) 542; × *vegeta* (v.c. **43**) 228
Ulota phyllantha 353, (map) 353
Urtica dioica 152, 157, 296, 301, 355, subsp. *galeopsifolia* (v.c. **H6**) 543
Utricularia minor 310, 311, 373; *vulgaris* 297, 373

Vaccinium × *intermedium* (v.c. **46**) 232; *microcarpum* (v.c. **77**) 232; *uliginosum* 136, 137, (map) 138, subsp. *microphyllum* 139, 140, subsp. *uliginosum* 139; *vitis-idaea* 136, 297; *vitis-idaea* × *myrtillus* (v.c. **46**) 232
Valeriana dioica (v.c. **46**) 242, 344, (v.c. **48**) 566; *officinalis* 420
Valerianella 81; *carinata* 81, (v.c. **52**, **58**) 242, 257, 361, 373, (v.c. **29**) 566; *dentata* 81, 85, 87, 373, 374, var. *mixta* 81, var. b. *mixta* 87; *eriocarpa* Desv. in Dorset, and a reassessment of its status as a presumed introduction in Britain 81-89, (map) 82, (v. c. **49**) 242, 483, (v.c. **1**) 566; *locusta* 81; *microcarpa* 81; *muricata* 81; *rimosa* 81, 87, (v.c. **10**) 242, 311, 312, 373, (v.c. **1**, **2**) 566
van der Meijden, R. - Rev. of *New atlas of the British and Irish Flora* (ed by C.D. Preston, D.A. Pearman & T.D. Dines) 583-584
van der Meijden, R. - Rev. of *The changing flora of the UK* (by C.D. Preston *et al.*) 583-584
Vera, F.W.M. - *Grazing ecology and forest history* (Bk Rev.) 119-120
Verbascum bombyciferum (v.c. **64**) 563; *densiflorum* (v.c. **11**, **12**) 241; × *godronii* (v.c. **29**) 563; *lychnitis* (v.c. **29**) 563; × *mixtum* (v.c. **29**) 563; *nigrum* 563; *nigrum* × *pulverulentum* (v.c. **29**) 563; *nigrum* × *speciosum* (v.c. **29**) 563; *phlomoides* × *pulverulentum* (v.c. **29**) 563; *phoeniceum* (v.c. **77**) 563; *pulverulentum* (v.c. **43**) 241; *speciosum* (v.c. **46**) 241; × *thapsi* (v.c. **29**) 563; *thapsus* 563; *thapsus* × *lychnitis* (v.c. **29**) 563; *thapsus* × *pulverulentum* (v.c. **29**) 563; *virgatum* × *nigrum* (v.c. **29**) 563; *virgatum* × *pulverulentum* (v.c. **29**) 563
Verbena officinalis 584
Veronica alpina 136, 137, (map) 138; *anagallis-aquatica* 163, 165; *anagallis-aquatica* × *catenata* (v.c. **52**) 564; *arvensis* 83-85; *catenata* (v.c. **46**) 564; *chamaedrys* 157; *crista-galli* (v.c. **H6**) 564; *fruticans* 136, 137, (map) 138; *hederifolia* subsp. *hederifolia* (v.c. **43**) 241, subsp. *lucorum* (v.c. **43**) 241; × *lackschewitzii* (v.c. **52**) 564; *longifolia* (v.c. **113(A)**) 564; *officinalis* 516; *peregrina* (v.c. **42**) 241; *polita* (v.c. **43**) 241, 312; *praecox* 505; *repens* (v.c. **11**) 241; *scutellata* 315, var. *villosa* 284; *serpyllifolia* 111, 586, subsp. *humifusa* (v.c. **49**) 564; *spicata* 116

Viburnum opulus (v.c. **91**) 565; *rhytidophyllum* (v.c. **46**) 565; tinus (v.c. **29**) 565

Vicia cracca 157, 477; *faba* (v.c. **99**) 555; *sativa* subsp. *segetalis* (v.c. **43**, **81**, **107**) 237; *sylvatica* 297; *tetrasperma* (v.c. **81**) 237

Vickery, A.R. - Rev. of *The Cambridge illustrated glossary of botanical terms* (by M. Hickey & C. King) 120-121

Viola × *bavarica* (v.c. **50**) 231; × *burnatii* (v.c. **64**) 231; *canina* (v.c. **43**, **81**) 546, subsp. *canina* (v.c. **65**) 546; *hirta* 420; × *intersita* (v.c. **13**) 231, (v.c. **43**, **81**) 546; *labradorica* (v.c. **29**) 546; *lutea* × *tricolor* × *altaica* (v. c. **99**) 547; *odorata* (v.c. **113(A)**) 546; *palustris* 137, (map) 138, 324; *riviniana* 157; *riviniana* × *canina* (v.c. **13**) 231, (v.c. **43**, **81**) 546; *riviniana* × *reichenbachiana* (v.c. **50**) 231; *rupestris* × *riviniana* (v.c. **64**) 231; *tricolor* subsp. *tricolor* (v.c. **45**) 547; × *wittrockiana* (v.c. **99**) 547

Vulpia ciliata (v.c. **10**) 247, subsp. *ambigua* 323, subsp. *ciliata* (v.c. **64**) 573; *myuros* (v. c. **93**) 573; *unilateralis* 470

Walker, K.J. - One species lost every year? An evaluation of plant extinctions in selected British vice-counties since 1900 359-374

Walker, K.J. - Using data from local floras to assess floristic change 305-319

Walker, K.J., with C.D. Preston - Creeping inflation in the length of English county Floras 447-449

Wall, T., with P.T. Harding (eds) - *Moccas: an English deer park* (Bk Rev.) - 251-252

Walters, S.M. & Stow, E.A. - *Darwin's mentor: John Stevens Henslow (1796 -1861)* (Bk Rev.) 252-253

Watson, K. - Rev. of *Loch Lomondside: gateway to the western highlands of Scotland* (by J. Mitchell) 121

Watson, K., with J.H. Dickson & P. Macpherson - *The changing flora of Glasgow* (Bk Rev.) 113-114

Weigelia florida (v.c. **99**) 566

Welch, D. - A reconsideration of the native status of *Linnaea borealis* L. (Caprifoliaceae) in lowland Scotland 427-432

Welch, D. - Rev. of *Flora of Assynt: flowering plants* (by P.A. Evans & I.M. Evans); *Bryophytes* (by G.P. Rothero) 458-459

Welch, D., with C.H. Gimingham, E.C. Clement & P. Lane - A large population of *Plagiobothrys scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain 159-169

Wells, Derek Arthur (1930-2001) (Obit.) 126-127

Whild, S.J. & Lockton, A.J. - *Carex muricata* L. subsp. *muricata* (Cyperaceae) in Shropshire 528-531

Willis, A.J. - Obit. of Elizabeth Winsome Woodward (née Davies) (1924-2002) 461-462

Willis, K.J. & McElwain, J.C. - *The evolution of plants* (Bk Rev.) 456

Wilmott, A.J. 1-15

Woodsia alpina 136, (map) 138, 139; *glabella* × *ilvensis* 139; *ilvensis* 136, (map) 138

Woodward (née Davies), Elizabeth Winsome (1924-2002) (Obit.) 461-462

Yeo, P.F. - The typification and correct citation of the name *Geranium purpureum* Vill. subsp. *forsteri* (Wilmott) H.G.Baker 533-535

Yushania anceps (v.c. **81**) 246

Zannichellia palustris 457, 570

Zantedeschia aethiopica (v.c. **44**, **113(A)**) 571

Zizania latifolia (v.c. **13**) 577

Zohary, D. & Hopf, M. - *Domestication of plants in the Old World* (Bk Rev.) 113

Zostera angustifolia 571; *noltei* (v.c. **45**) 571

Zygogonium ericetorum 46

BRIGGS, D. & GORRINGE, E. The struggle to produce a Flora of the British Isles (1933–1952) 1–15

ABBOTT, R. J., JAMES, J. K., FORBES, D. G. & COMES, H. P. Hybrid origin of the Oxford Ragwort, *Senecio squalidus* L: morphological and allozyme differences between *S. squalidus* and *S. rupestris* Waldst. and Kit. ... 17–29

HARRIS, S. A. Introduction of Oxford ragwort, *Senecio squalidus* L. (Asteraceae), to the United Kingdom 31–43

RASMUSSEN, K. K. & LAWESSON, J. E. *Lycopodiella inundata* in British plant communities and reasons for its decline 45–55

RICH, T. C. G. & FITZGERALD, R. Life cycle, ecology and distribution of *Schoenoplectus triqueter* (L.) Palla (Cyperaceae), Triangular Club-rush, in Britain and Ireland 57–67

RICH, T. C. G. & LOCKTON, A. J. *Bromus interruptus* (Hack.) Druce (Poaceae) - an extinct English endemic 69–80

PEARMAN, D. A. & EDWARDS, B. *Valerianella eriocarpa* Desv. in Dorset, and a reassessment of its status as a presumed introduction in Britain 81–89

FAY, M. F., GERNANDT, D. S., COWAN, R. S., KITCHEN, M. A. R., KITCHEN, C. & RICH, T. C. G. Parentage of an unknown member of the *Sorbus latifolia* (Lam.) Pers. group (Rosaceae) 91–100

RICH, T. C. G. Conservation of Britain's biodiversity: *Hieracium asteridiophyllum* and *H. cillense* (Asteraceae) 101–106

NOTES

Ballantyne, G. H. A new bramble of Northumbria and the Scottish borders 107–109

Stace, C. A. A new name in the British Flora 109–110

Smith, R. E. N. The re-appearance of *Lobelia urens* L. from soil seed bank at a site in South Devon 110–112

BOOK REVIEWS 113–121

OBITUARIES 123–129

REPORT 131–132

HALLIDAY, G. Presidential Address, 2001: The British Flora in the Arctic 133–144

DINES, T. D. & BONNER, I. R. A new hybrid horsetail, *Equisetum arvense* × *E. telmateia* (*E.* × *robertsii*) in Britain 145–157

GIMINGHAM, C. H., WELCH, D., CLEMENT, E. J. & LANE, P. A large population of *Plagiobothrys scouleri* (Boraginaceae) in north-east Scotland, and notes on occurrences elsewhere in Britain 159–169

DIAZ, A. & KITE, G. C. A comparison of the pollination ecology of *Arum maculatum* and *A. italicum* in England 171–181

RICH, T. C. G., BENNALLICK, I. J., CORDREY, L., KAY, Q. O. N., LOCKTON, A. J. & RICH, L. K. Distribution and population sizes of *Asparagus prostratus* Dumort., Wild Asparagus, in Britain 183–192

SPALTON, L. M. An analysis of the characters of *Bromus racemosus* L., *B. commutatus* Schrad. and *B. secalinus* L. (Poaceae) 193–202

BRYANT, J. A., STEWART, N. F. & STACE, C. A. A checklist of Characeae of the British Isles 203–208

KITCHENER, G. D. *Rumex* × *venogenus* Rech. fil. (Polygonaceae), the hybrid between Greek and Patience Docks, found in Britain 209–213

NOTES

Corner, R. W. M. The enigma of montane *Sagina maritima* Don 215–217

Corner, R. W. M. Observations on introgression between *Carex nigra* and *C. bigelowii* (Cyperaceae) 217–220

Allen, D. E. A third list of British species of *Rubus* L. (Rosaceae) in north-west France 220–222

Allen, D. E. Nomenclatural complexities in publications of Sudre and Bouvet on *Rubus* L. (Rosaceae) 222–112

Bull, A. L. Range extensions for *Rubus rhombifolius* Weihe ex Boenn. and *R. babingtonianus* W. C. R. Watson in East Anglia 224–225

PLANT RECORDS 227–250

BOOK REVIEWS 251–256

OBITUARIES 257–270

The first eight papers in this issue are contributions from speakers at the 'Local Flora Writers' meeting held at Liverpool Museum on 11 and 12 April 2002

ALLEN, D. E. Four centuries of local flora-writing: some milestones 271–280

CHATER, A. O. The treatment of infraspecific taxa in local Floras 281–286

PRESTON, C. D. Perceptions of change in English County Floras, 1660–1960 ... 287–304

WALKER, K. J. Using data from local floras to assess floristic change 305–319

HILL, M. O. Using data from local floras for ecological research 321–329

JONSELL, B. Swedish provincial Floras - a survey of their history and present status 331–336

GREENWOOD, E. F. Understanding change - a Lancashire perspective 337–350

ASHTON, P. A. New Flora of v.c. 59 (South Lancashire) - a progress report ... 351–357

WALKER, K. J. One species lost every year? An evaluation of plant extinctions in selected British vice-counties since 1900 359–374

LOWE, A. J. & ABBOTT, R. J. A new British species, *Senecio eboracensis* (Asteraceae), another hybrid derivative of *S. vulgaris* L. and *S. squalidus* L. 375–388

DEMARS, B. O. L. & GORNALL, R. J. Identification of British species of *Callitriche* by means of isozymes 389–399

RICH, T. C. G. & PRYOR, K. V. *Galeopsis segetum* Neck. (Lamiaceae), Downy Hemp-nettle: native or introduced in Britain? 401–411

GIBSON, D. J. & TAYLOR, I. Performance of *Festuca arundinacea* Schreb. (Poaceae) populations in England 413–426

WELCH, D. A reconsideration of the native status of *Linnaea borealis* L. (Caprifoliaceae) in lowland Scotland 427–432

FAY, M. F., COWAN, R. S. & SIMPSON, D. A. Hybridisation between *Schoenoplectus tabernaemontani* and *S. triqueter* (Cyperaceae) in the British Isles 433–442

NEWTON, A. & RANDALL, R. D. A Devon and Somerset Bramble (Rosaceae: *Rubus* L. subgen. *Rubus*) revived 443–446

NOTES

Preston, C. D. & Walker, K. J. Creeping inflation in the length of English county floras 1730–1960 447–449

Hambler, D. J. Ploidy of *Primula farinosa* L. revisited 450–452

Bailey, J. P. & Spencer, M. New records for *Fallopia* × *conollyana*: is it truly such a rarity? 452–453

BOOK REVIEWS 455–459

OBITUARIES 461–465

REPORT 467–468

LEACH, S. J. & PEARMAN, D. A. An assessment of the status of *Gaudinia fragilis* (L.) P. Beauv. (Poaceae) in the British Isles 469–487

NELSON, E. C. Wisbech and Fenland Museum (WBCH): a history with a list of collectors 489–498

KARRAN, A. B. & RICH, T. C. G. Geographical and temporal distributions of *Alyssum alyssoides* and *Berteroa incana* (Brassicaceae) in the British Isles and the relationship to their modes of introduction 499–506

FAY, M. F., O'ROURKE, A. & RICH, T. C. G. A preliminary investigation of genetic variation in Western European *Carex depauperata* Curtis ex With. (Cyperaceae), Starved Wood-sedge 507–511

RICH, T. C. G. & HAND, S. O. Conservation of Britain's biodiversity: *Hieracium snowdoniense* (Asteraceae), Snowdonia Hawkweed 513–518

KITCHENER, G. D. A new *Epilobium* (Onagraceae) hybrid: *Epilobium brunnescens* (Cockayne) Raven & Engelhorn × *Epilobium parviflorum* Schreber (*E.* × *argillaceum*) 519–523

GRANT, M. L. A new, purple-leaved form of *Poa annua* L. (Poaceae) is a cryptic weed 525–526

NOTES

Godfrey, M. F. A specimen of "*Cochlearia conferta*" in the herbarium of the University of Birmingham 527–528

Whild, S. J. & Lockton, A. J. *Carex muricata* L. subsp. *muricata* (Cyperacae) in Shropshire 528–531

Chater, A. O. & Stace, C. A. A new hybrid binomial in *Narcissus* L. 532–533

Yeo, P. F. The typification and correct citation of the name *Geranium purpureum* Vill. subsp. *forsteri* (Wilmott) H. G. Baker 533–535

Spalton, L. M. Observations on *Bromopsis benekenii* (Lange) Holub in Britain ... 535–538

PLANT RECORDS 539-579

BOOK REVIEWS 581–586

OBITUARIES 587–594